



宁波九隆五金有限公司
NINGBO JIULONG HARDWARE CO.LTD



SAFETY HARNESS HARDWARE CATALOGUE 2019

BE WITH US, BE WITH SAFETY
WE ARE ON THE WAY

Add: NO.B-8Technology Industrial Park Ninghai
Ningbo, China

Office Add: Room 506-509, Guangbo International
Centre, No.1357 Yinxian Road, Ningbo, China

电话 (Tel) : 86-574-82815295 / 82815299

传真 (Fax) : 86-574-82815296

邮编 (P.C) : 315100

网址 (Http) : www.nb-jiulong.com / www.jlhardware.com

邮箱 (Email) : sales@jlhardware.com / jack@jlhardware.com










jack Jin
CEO - Ningbo jiulong international co.,ltd
















SCAN THE QR CODE TO SEE MORE












Product Model	Short Description	Specification	Technical Size	Product Image
		Safety Steel Carabiners		
Featured JLS-1011 Steel Carabiner	Fall Protection Strong Tensile Mountain Rock Climbing Steel Screw Locking Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:179g		
		Meets or Exceeds: EN362-2004		
JLS-1012 Steel Carabiner	High load bearing professional rock climbing safety Self- Locking Steel Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:168g		
		Meets or Exceeds: EN362-2004		
JLS-1013 Steel Carabiner	Twist Safety Carabiner for outdoor activity	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:178g		
		Meets or Exceeds: EN362-2004		
JLS-1014 Steel Carabiner	Twist Safety Carabiner for outdoor activity	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:160.1g		
		Meets or Exceeds: EN362-2004		
JLS-1015 Steel Carabiner	Self-Locking Steel Carabiner for Climbing And Emergency Rescue	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:209g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
Featured JLS-1019 Steel Carabiner	High Quality Surface Treated Oval Carabiner for Climbing, Fall protection, working aloft, full body harness accessories	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 162g		
		Meets or Exceeds: EN362-2004		
JLS-1022 Steel Carabiner	30KN Self-Locking Steel Carabiner,full body harness accessories	Cold formed steel,Heat treated		
		Min. Breaking load: 6500lbs/30kN		
		Net weight:212g		
		Meets or Exceeds: EN362-2004		








JLS-1032 Steel Carabiner	30KN Self-Locking Steel Carabiner,full body harness accessories	Cold formed steel,Heat treated		
		Min. Breaking load: 6500lbs/35kN		
		Net weight:g		
		Meets or Exceeds: EN362-2004		
JLS-1044 Steel Carabiner	Mini Steel Carabiner, safety carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 2700lbs/12kN		
		Net weight:65g		
Featured JLS-1052 Steel Carabiner	30KN Fall Protection Self-Locking Steel Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 6500lbs/30kN		
		Net weight:170g		
		Meets or Exceeds: EN362-2004		
JLS-1061 Steel Carabiner	Fall Protection Strong Tensile Mountain Rock Climbing Steel Screw Locking Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 6500lbs/30kN		
		Net weight:150g		
		Meets or Exceeds: EN362-2004		
JLS-1062 Steel Carabiner	D shaped Self-locking safety Steel Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:167g		
		Meets or Exceeds: EN362-2004		
JLS-1065 Steel Carabiner	30KN High Quality Cold Formed Steel Self-Locking Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 6500lbs/30kN		
		Net weight:208g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
JLS-1067 Steel Carabiner	Mountain Climbing Hook Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 6500lbs/30kN		
		Net weight:190g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
JLS-1071 Steel Carabiner	outdoor sports carabiner for climbing	Cold formed steel,Heat treated		
		Min. Breaking load: 10000lbs/45kN		
		Net weight: 260g		
		Meets or Exceeds: EN362-2004		
JLS-1075 Steel Carabiner	45KN High Quality High Strength Classic D Self-Locking Carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 10000lbs/45kN		
		Net weight:285g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		








JLS-1077 Steel Carabiner	Engraving Available carabiner for rock climbing	Cold formed steel,Heat treated		
		Min. Breaking load: 10000lbs/45kN		
		Net weight: 285g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
JLS-1085 Steel Carabiner	rock climb carabiner, fall protection carabiner, labor safety protection carabiner, personal safety protection carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 814g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
JLS-1099 Steel Carabiner	Moutain Rock Climbing mini carabiner,safety carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 146g		
		Meets or Exceeds: EN362-2004		
JLS-1121 Steel Carabiner	mountaineering carabiner hook working safety protection	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 105g		
		Meets or Exceeds: EN362-2004		
JLS-1131 Steel Carabiner	mountaineering carabiner hook full body harness carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 112g		
		Meets or Exceeds: EN362-2004		
JLS-1151 Steel Carabiner	mountaineering carabiner hook full body harness carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 142.5g		
		Meets or Exceeds: EN362-2004		
JLS-1169 Steel Carabiner	mountaineering carabiner hook full body harness carabiner	Cold formed steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 257.7g		
		Meets or Exceeds: EN362-2004		
JLS-1174 Steel Carabiner	mountaineering carabiner hook full body harness carabiner	Sheet Stainless	L:100mm W:51.8mm Thickness:10mm	
		Min. Breaking load:kN		
		Net weight: 127.4g		
		Meets or Exceeds: EN362-2004		
JLS-1180 Steel Carabiner	mountaineering carabiner hook full body harness carabiner	Sheet Stainless	4#,5#,6#,7#,10#	
		Min. Breaking load:kN		
		Net weight:g		
		Meets or Exceeds: EN362-2004		








		Safety Steel Snap Hooks		
JLS-1201 Steel Carabiner	Carabiner for Personal protective equipment/occupational safety/Electrical protection equipment	Forged steel,Heat treated		
		Min. Breaking load: 10000lbs/45kN		
		Net weight:282g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
JLS-1205 Steel Carabiner	Carabiner for Personal protective equipment/occupational safety/Electrical protection equipment	Forged steel,Heat treated		
		Min. Breaking load: 10000lbs/45kN		
		Net weight:304g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
Featured JLS-2011 Steel Snap Hook	Building protection/working aloft protection high strength Rope Snap Hook	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net Weight:390g		
Featured JLS-2031 Steel Snap Hook	climbing harness/full body harness/fall protection Rebar Hook	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:499g		
JLS-2041 Steel Snap Hook	heavy duty snap hook Stamped Snap Hook Mountain climbing snap hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:298g		
JLS-2050 Steel Snap Hook	Hot Air ballooning/fall protection/electrical labour protection Stamped Snap Hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:231g		
JLS-2050 (4.5mm) Steel Snap Hook	Hot Air ballooning/fall protection/electrical labour protection Stamped Snap Hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:231g		
		Meets or Exceeds: EN362-2004		





JLS-2051 Steel Snap Hook	Hot Air ballooning/fall protection/electrical labour protection Stamped Snap Hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:232g		
		Meets or Exceeds: EN362-2004		
JLS-2052 Steel Snap Hook	Stamped Snap Hook With D-Ring	Sheet steel,Heat treated		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:290g		
		Meets or Exceeds: EN362-2004		
JLS-2053 Steel Snap Hook	Stamped Snap Hook With D-Ring	Sheet steel,Heat treated		
		Min. Breaking load: 5000lbs/25kN		
		Net weight:261.4g		
		Meets or Exceeds: EN362-2004		
JLS-2061 Steel Snap Hook	Mini Steel carabiner hook, All shaped customized, OEM, ODM accepted	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load:6500lbs/30kN		
		Net weight:158g		
		Meets or Exceeds: EN362-2004		
JLS-2062 Steel Snap Hook	Mini Steel carabiner hook, All shaped customized, OEM, ODM accepted	Sheet steel,Heat treated	L:94mm W:40.3mm Thickness:4mm Inside width:26mm	
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:99g		
		Meets or Exceeds: EN362-2004		
JLS-2064 Steel Snap Hook	Mini Steel carabiner hook, All shaped customized, OEM, ODM accepted	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:310g		
		Meets or Exceeds: EN362-2004		
JLS-2071 Steel Snap Hook	Snap hook For Climbing And Emergency Rescue	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight: 790g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		









JLS-2081 JLS-2032 Steel Snap Hook	Safety snap hook for outdoor activities/working place fall protection	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:757g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
Featured JLS-2091 Steel Snap Hook	High Strength Steel Rope Snap Hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:362g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
Featured JLS-2101 Steel Snap Hook	High Strength Steel Rope Snap Hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:315.4g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11、EN362-2004		
JLS-2201 Steel Snap Hook	steel climbing hook swivel Survival snap hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:232g		
		Meets or Exceeds: EN362-2004		
JLS-2202 Steel Snap Hook	steel climbing hook swivel Survival snap hook	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:240g		
		Meets or Exceeds : EN362-2004		
		Steel D rings & O rings		
JLS-3001 Steel D-Ring	fall protection full body harness Stamped D-Ring	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:136g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		




JLS-3001-1 Steel D-Ring	fall protection full body harness Stamped Bended D-Ring	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:136g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		
JLS-3002 Steel D-Ring	fall protection full body harness Stamped D-Ring	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:132g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		
JLS-3003 Steel D-Ring	fall protection full body harness Stamped D-Ring	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:151g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		
JLS-3004 Steel D-Ring	fall protection full body harness Stamped D-Ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:165g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		
JLS-3005 Steel D-Ring	fall protection full body harness Stamped bended D-Ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:74g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		
JLS-3005-0 Steel D-Ring	High quality heavy duty full body harness D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:80g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		
JLS-3006 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:85g		
		Meets or Exceeds : ANSI Z359.12-09、CSA Z259.12-11		


JLS-3006-1 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:110g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3007 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:59g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3008 Steel D-Ring	Outdoor Climb Fall Protection D ring	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:73g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3009 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:73g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3009-1 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:73g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3010 Steel D-Ring	Outdoor Climb Fall Protection D ring	Sheet steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:50g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3011-1 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:98g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		


JLS-3011-2 Steel D-Ring	Full body harness accessories O ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:128g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3011-3 Steel D-Ring	Full body harness accessories O ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:164g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3011-4 Steel D-Ring	Full body harness accessories O ring	Cold formed steel,Heat treated		
		Min. Breaking load: 4500lbs/20kN		
		Net weight:58g		
JLS-3012 Steel D-Ring	Full body harness accessories Triangle D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:93g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3013 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:124g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3014 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:158g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3015 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:114g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		



JLS-3015-1 Steel D-Ring	Outdoor Climb Fall Protection D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:114g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3016 Steel D-Ring	Full body harness accessories D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:114g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3017 Steel D-Ring	Full body harness accessories D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:162g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-3018 Steel D-Ring	Full body harness accessories D ring	Forged steel,Heat treated		
		100% Proof loaded to 3600lbs/16kN		
		Min. Breaking load: 5000lbs/23kN		
		Net weight:122g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		

JLS-4003 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:51g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4003-1 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:51g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4004 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:28g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4005 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:36g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4006 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:36g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4007 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:35g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4008 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:22g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4009 Steel Buckles	safety buckle for fall protection/safety belt/full body harness	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:70g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		

JLS-4032 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	length: 72.1mm	
		Min. Breaking load: 4000lbs/18kN	width: 72mm	
		Net weight:116g	thickness: 3mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11	Inside width: 52mm	
JLS-4033 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:48g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4034 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	length: 74mm	
		Min. Breaking load: 5000lbs/23kN	width: 43mm	
		Net weight:81g	thickness: 5.5mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11	Inside width: 51mm	
JLS-4035 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:31g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4036 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated		
		Min. Breaking load: 4000lbs/18kN		
		Net weight:50g		
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4037 Aluminum Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet aluminum,Heat treated	L: 74.2mm	
		Min. Breaking load: 2000lbs/9kN	W: 67.1mm	
		Net weight:80g+15g	thickness: 8/3.2mm	
			Inside width: 52.7mm	
JLS-4038 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 70.5mm	
		Min. Breaking load: 4900lbs/22kN	W: 63.5mm	
		Net weight:g	thickness: 3mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11	Inside width: 41.6mm	
JLS-4039 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 73.2mm	
		Min. Breaking load: 4000lbs/18kN	W: 47mm	
		Net weight:g	thickness: 3mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4040 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 72mm	
		Min. Breaking load: 5000lbs/23kN	W: 48.7mm	
		Net weight:g	thickness: 4.5mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		

JLS-4041 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 57mm	
		Min. Breaking load: 5000lbs/23kN	W: 38mm	
		Net weight:g	thickness: 4.5mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4042 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 73.5mm	
		Min. Breaking load: 4900lbs/22kN	W: 47.4mm	
		Net weight:g	thickness: 3mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4043 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 58mm	
		Min. Breaking load: 4900lbs/22kN	W: 31.6mm	
		Net weight:g	thickness: 3mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4044 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 58.7mm	
		Min. Breaking load: 4000lbs/18kN	W: 36.5mm	
		Net weight:g	thickness: 3mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4045 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Material:A7075	L: 75mm	
		Min. Breaking load:kg	W: 61mm	
		Net Weight:87.8g	thickness: 4mm	
		Color: Any Color (Can be customized)	Inside width: 44.5mm	
JLS-4046 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Material: A6061	L: 73.5mm	
		Min. Breaking load:kg	W: 54mm	
		Net Weight:55.1g	thickness: 3mm	
		Color: Any Color (Can be customized)	Inside width: 32mm	
JLS-4047 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 57.9mm	
		Min. Breaking load: lbs/kN	W: 29mm	
		Net weight:g	thickness: 3mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4048/4049 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L: 63.4mm	
		Net weight:58g	W: 41.5mm	
		Min. Breaking load: 18kN	thickness: 0.46mm	
			Inside width: 46mm	
JLS-4050 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 72mm	
		Net weight:161.5g	W: 59mm	
			thickness: 1.6mm	
			Inside width: 45mm	










JLS-4051 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 60mm	
		Net weight:99.9g	W: 44mm	
			thickness: 10mm	
			Inside width: 38mm	
JLS-4052 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated		
		Min. Breaking load: kN		
		Net weight:88g	thickness: 4mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4053 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Material: aluminum	L: 52mm	
		Net weight:26.9g	W: 36mm	
			thickness: 10mm	
			Inside width: 25mm	
JLS-4054 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: mm	
		Min. Breaking load: 4000lbs/18kN	W: mm	
		Net weight:g	thickness: mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11	Inside width: mm	
JLS-4055 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: mm	
		Min. Breaking load: 4000lbs/18kN	W: mm	
		Net weight:g	thickness: mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11	Inside width: mm	
JLS-4056 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 61mm	
		Net weight:81.8g	W: 52mm	
		Min. Breaking load: 7kN	thickness: 10mm	
			Inside width: 38mm	
JLS-4057 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 51mm	
		Net weight:77.1g	W: 40mm	
		Min. Breaking load: 5kN	thickness: 10mm	
			Inside width: 27mm	
JLS-4058 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: mm	
		Net weight:77.1g	W: mm	
		Min. Breaking load: 5kN	thickness: mm	
			Inside width: 45mm	
JLS-4059 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 63.5mm	
		Min. Breaking load: kN	W: 55mm	
		Net weight:g	thickness: 4mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		









JLS-4060 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: mm	
		Min. Breaking load: kN	W: mm	
		Net weight:g	thickness: 38mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-4061 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Material: aluminum	L: mm	
		Min. Breaking load:kg	W: mm	
		Net Weight:g	thickness: mm	
		Color: Any Color (Can be customized)	Inside width: 38mm	
JLS-4063 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Material: aluminum	L: mm	
		Min. Breaking load:kg	W: mm	
		Net Weight:g	thickness: mm	
		Color: Any Color (Can be customized)	Inside width: mm	
JLS-4064 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Material: aluminum	L: mm	
		Min. Breaking load:kg	W: mm	
		Net Weight:g	thickness: mm	
		Color: Any Color (Can be customized)	Inside width: mm	
JLS-5001 Safety Belt Accessories	quick release buckle for fall protection as well as bags and luggages	Sheet steel		
		Net weight:23g		
JLS-5002 Safety Belt Accessories	quick release buckle for fall protection as well as bags and luggages	Sheet steel		
		Net weight:13g		
JLS-5003 Safety Belt Accessories	quick release buckle for fall protection as well as bags and luggages	Sheet steel		
		Net weight:11g		
JLS-5006 Safety Belt Accessories	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L54mm*Φ38.6mm	
		Net weight:21.5g		
JLS-5007 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L: 67.1mm	
		Net weight:70.2g	W: 32.7mm	
			thickness: 0.2mm	
			Inside width: 56.5mm	
JLS-5008 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L: 60.6mm	
		Net weight:53.1g	W: 60mm	
			Inside width: 55mm	
JLS-5009 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L: 10/23mm	
		Net weight:243g	W: 5mm	










JLS-5010 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L: 60.5mm	
		Net weight:36.4g	W: 19mm	
			Inside width: 58mm	
JLS-6002 Safety Belt Accessories	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L79.3mm*W42.5mm*Φ 6.5mm	
		Net weight:51g		
JLS-6010 Steel Buckle	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L50.5mm*W37.8mm*T3mm	
		Net weight:37g	Inside W44.8mm	
JLS-6012 Steel Buckle	quick release buckle for fall protection as well as bags and luggages	Sheet steel	L38mm*W35mm*T2.8mm	
		Net weight:27g	Inside W26.8mm	
JLS-6013 Steel Double J hook	Simple Steel Double J hook	Cold formed steel,Heat treated	L155mm*W111.9mm*Φ 13.9mm	
JLS-6014 Steel single J hook	Steel Single J hook	Cold formed steel,Heat treated		
		Net weight: 239g		
JLS-6015 Steel carabiner	Steel Pear-shaped carabiner	Cold formed steel	L:80mm W:36.6mm Thickness:7.6mm	
JLS-6016 Steel hook	small steel hook	Sheet steel	L45.7mm*W27.5mm*T6.8mm	
		Net weight:19g	Inside W18.8mm	
JLS-6019 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 90mm	
		Min. Breaking load: kN	W: 50mm	
		Net weight:g	thickness: 2mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-6020 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 88.8mm	
		Min. Breaking load: kN	W: 70mm	
		Net weight:g	thickness: 2mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-6021 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: 70mm	
		Min. Breaking load: kN	W: 34mm	
		Net weight:g	wire diameter:7mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		
JLS-6022 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Sheet steel,Heat treated	L: mm	
		Min. Breaking load:25 kN	W: mm	
		Net weight:g	wire diameter:25mm	
		Meets or Exceeds: ANSI Z359.12-09、CSA Z259.12-11		










JLS-9001 Steel Adjuster	Safety steel adjuster	Forged steel,Heat treated		
		Net weight:250g		
JLS-9002 Steel Adjuster	Safety steel adjuster	Forged steel,Heat treated		
		Net weight:283g		
JLS-9003 Steel Adjuster	Safety steel adjuster	Forged steel,Heat treated		
		Net weight:400g		
JLS-9004 Steel Adjuster	Safety steel adjuster	Forged steel,Heat treated		
		Net weight: 400g		
		Accessories		
JLS-9010 Steel Bar		Sheet steel		
		Net weight:19g		
JLS-9012 Steel eye screw	Steel eye screw	Cold formed steel		
		Net weight:172g		
JLS-9015 Stainless steel clip	Stainless steel clip	Sheet Stainless		
		Net weight:15g		
JLS-S4003/S4004 Stainless steel		Sheet Stainless		
		Net weight:186.8g		
JLS-Z1001 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 60mm	
		Net weight:27.2g	W: 25mm	
JLS-Z1002 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 50mm	
		Net weight:20.4g	W: 24mm	
JLS-Z1003 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Stainless steel	L: 70mm	
		Net weight:66.2g	W: 55mm	
JLS-Z1004 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 90mm	
		Net weight:54.1g	W: 30mm	





JLS-Z1005 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 90mm	
		Net weight:70.1g	W: 30mm	
			Inside width: 20mm	
JLS-Z2001 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 83mm	
		Net weight:93.4g	W: 51mm	
		Min. Breaking load:6kg	Inside width: 38mm	
JLS-Z3001 Steel Buckles	quick release buckle for fall protection as well as bags and luggages	Zinc alloy	L: 30mm	
		Net weight:15.2g	W: 44mm	
		Min. Breaking load:kg	Inside width: 34mm	
JLS-Z3002 Steel D-Ring	quick release buckle for fall protection as well as bags and luggages	Zinc alloy		
		Net weight:8.8g		
		inside diameter:25mm		




Featured JLS-A1272 Aluminum Carabiner	Aviation material camping locking aluminium alloy carabiner	Material:A7075		
		Min. Breaking load::2200kg		
		Net Weight:48.5g		
		Color: Any Color (Can be customized)		
JLS-A1272C Aluminum Carabiner	hot sale mini d shaped aluminum carabiner	Material:A7075		
		Min. Breaking load:2200kg		
		Net Weight:49g		
		Color: Any Color (Can be customized)		
JLS-A1272N Aluminum Carabiner	Custom karabiner snap hook aluminum carabiner for promotion	Material:A7075		
		Min. Breaking load:2200kg		
		Net Weight:52.8g		
		Color: Any Color (Can be customized)		
JLS-A1272TN Aluminum Carabiner	Aluminum carabiner D type spring snap hook	Material:A7075		
		Min. Breaking load:2200kg		
		Net Weight:57.1g		
		Color: Any Color (Can be customized)		
JLS-A228N Aluminum Carabiner	Colored Aluminum Camping Carabiner	Material:A7075		
		Min. Breaking load:2400kg		
		Net Weight:74g		
		Color: Any Color (Can be customized)		
JLS-A238N Aluminum Carabiner	D Shape Aluminum Screw Nut Gate Locking Carabiner	Material:A7075		
		Min. Breaking load:2400kg		
		Net Weight:74g		
		Color: Any Color (Can be customized)		
JLS-A278N Aluminum Carabiner	Welcom Custom OEM Aluminum Carabiner and Key Ring	Material:A7075		
		Min. Breaking load:2600kg		
		Net Weight:82g		
		Color: Any Color (Can be customized)		
JLS-AF812N Aluminum Carabiner	Welcom Custom OEM Aluminum Carabiner and Key Ring	Material:A7075		
		Min. Breaking load:2600kg		
		Net Weight:63.3g		
		Color: Any Color (Can be customized)		
JLS-A7501N Aluminum Carabiner	Hot Selling Aluminum Mini Carabiner by Factory Offer	Material:A7075		
		Min. Breaking load:2500kg		
		Net Weight:74g		
		Color: Any Color (Can be customized)		










JLS-A7501TN Aluminum Carabiner	Rock climbing D Shape 25KN Aluminum Carabiner	Material:A7075		
		Min. Breaking load:2500kg		
		Net Weight:77g		
		Color: Any Color (Can be customized)		
JLS-A7502 Aluminum Carabiner	D-shaped Aluminum Carabiner	Material:A7075		
		Min. Breaking load:2200kg		
		Net Weight:49g		
		Color: Any Color (Can be customized)		
JLS-A7504N Aluminum Carabiner	Aluminum Carabiner D Shape Buckle Pack, Keychain Clip	Material:A7075		
		Min. Breaking load:2600kg		
		Net Weight:71g		
		Color: Any Color (Can be customized)		
JLS-A7505N Aluminum Carabiner	Spring Snap Key Chain Clip Hook Screw Gate Buckle -Pack of Assorted Color	Material:A7075		
		Min. Breaking load:2600kg		
		Net Weight:76g		
		Color: Any Color (Can be customized)		
JLS-A7505TN Aluminum Carabiner	26KN High Tensile Quick Locking function Aluminum Climbing Carabiner	Material:A7075		
		Min. Breaking load:2600kg		
		Net Weight:79g		
		Color: Any Color (Can be customized)		
JLS-A7506 Aluminum Carabiner	lower cost aluminum carabiner with different colors	Material:A7075		
		Min. Breaking load:2200kg		
		Net Weight:47g		
		Color: Any Color (Can be customized)		
JLS-A1230TN Aluminum Carabiner	Safety Buckle Aluminum Carabiner / keychain Carabiner / Camping Hiking Carabiner	Material:A7075		
		Min. Breaking load:1000kg		
		Net Weight:50.7g		
		Color: Any Color (Can be customized)		
JLS- A1230TN+D Aluminum Carabiner	new designed creative climbing aluminum carabiner	Material:A7075		
		Min. Breaking load:1000kg		
		Net Weight:51.2g		
		Color: Any Color (Can be customized)		










JLS-A1301 Aluminum Carabiner	outdoor sport custom laser engraved aluminum wholesale carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:23.8g		
		Color: Any Color (Can be customized)		
JLS-A1301C Aluminum Carabiner	Mini aluminum snap hook carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:23.8g		
		Color: Any Color (Can be customized)		
JLS-A1301N Aluminum Carabiner	aluminium alloy climb hook square carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:24.8g		
		Color: Any Color (Can be customized)		
JLS-A1301TN Aluminum Carabiner	High Strength Aluminum Carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:27g		
		Color: Any Color (Can be customized)		
JLS-A1301U Aluminum Carabiner	Aluminum Quick Locking rock climbing carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:21g		
		Color: Any Color (Can be customized)		
JLS-A1303 Aluminum Carabiner	Personalized Aluminum Keychain Carabiner With Logo	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:25.2g		
		Color: Any Color (Can be customized)		
JLS-A1303C Aluminum Carabiner	Most Welcomed Colorful Aluminum Carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:25.2g		
		Color: Any Color (Can be customized)		
JLS-A1303N Aluminum Carabiner	Newest Aluminum Climbing Gear Wiregate Carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:27.2g		
		Color: Any Color (Can be customized)		
JLS-A1303TN Aluminum Carabiner	Aluminum climbing carabiner with wire gate/carabiner rock climbing	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:29.5g		
		Color: Any Color (Can be customized)		




JLS-A1303U Aluminum Carabiner	500KG high strength Aviation Aluminum D shape hammock carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:22g		
		Color: Any Color (Can be customized)		
JLS-A1304 Aluminum Carabiner	Fashion High Quality Metal Aluminum Carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:27g		
		Color: Any Color (Can be customized)		
JLS-A1304C Aluminum Carabiner	Aluminum Carabiner For Keychain	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:27g		
		Color: Any Color (Can be customized)		
JLS-A1304N Aluminum Carabiner	High quality colorful mini aluminum alloy locking carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:28.1g		
		Color: Any Color (Can be customized)		
JLS-A1304TN Aluminum Carabiner	12KN Camping Auto Locking Aviation Aluminum Climbing Carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:30.5g		
		Color: Any Color (Can be customized)		
JLS-A1304U Aluminum Carabiner	1200 kgs loading weight high strength Aviation Aluminum D shape hammock carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:24.3g		
		Color: Any Color (Can be customized)		
JLS-A1305 Aluminum Carabiner	Certified Top Supplier Wholesale Custom Aluminium Carabiner&Climbing Carabiner&Metal Carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:25.7g		
		Color: Any Color (Can be customized)		
JLS-A1305C Aluminum Carabiner	Aluminium Metal carabiner/Carabiner Keychains/Climbing carabiner Hooks	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:25.7g		
		Color: Any Color (Can be customized)		
JLS-A1305N Aluminum Carabiner	Chinese supplier Eco- friendly custom cheap aluminum locking carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:27.4g		
		Color: Any Color (Can be customized)		








JLS-A1305TN Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:29.5g		
		Color: Any Color (Can be customized)		
JLS-A1305U Aluminum Carabiner	Aluminum climbing carabiner with wire gate/carabiner rock climbing	Material:A7075/6016		
		Min. Breaking load:1200kg/500kg		
		Net Weight:21.3g		
		Color: Any Color (Can be customized)		
JLS-A808 Aluminum Carabiner	Promotional Aluminium Climbing Carabiner	Material:A7075		
		Min. Breaking load:1200kg		
		Net Weight:22.95g		
		Color: Any Color (Can be customized)		
JLS-A808B Aluminum Carabiner	The D shape black screw stainless steel Aluminum alloy carabiner	Material:A7075		
		Min. Breaking load:1200kg		
		Net Weight:22.9g		
		Color: Any Color (Can be customized)		
JLS-T1805N Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A7075	L: 133mm	
		Min. Breaking load:28KN	W: 71.5mm	
		Net Weight:69g	wire diameter:mm	
		Color: Any Color (Can be customized)		
JLS-T1805TN Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A7075	L: 133mm	
		Min. Breaking load:28KN	W: 72mm	
		Net Weight:75.5g		
		Color: Any Color (Can be customized)		
JLS-T1806TN Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A7075	L: 110mm	
		Min. Breaking load:2200kg	W: 60mm	
		Net Weight:80.5g		
		Color: Any Color (Can be customized)		
JLS-T1808 Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A6061	L: 82.4mm	
		Min. Breaking load:500kg	W: 44.3mm	
		Net Weight:28.2g		
		Color: Any Color (Can be customized)		
JLS-T1808N Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A6061	L: 82.4mm	
		Min. Breaking load:500kg	W: 44.3mm	
		Net Weight:30.7g		
		Color: Any Color (Can be customized)		

JLS-T1808N-D Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A6061	L: 82.4mm	
		Min. Breaking load:500kg	W: 44.3mm	
		Net Weight:30.7g		
		Color: Any Color (Can be customized)		
JLS-T1809N Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A7075	L: 116mm	
		Min. Breaking load:2600kg	W: 72.8mm	
		Net Weight:76g		
		Color: Any Color (Can be customized)		
JLS-T1809TN Aluminum Carabiner	Aluminum Carabiner Clip Carabiner Keychain Karabiner Round Shape Carabiner	Material:A7075	L: 116mm	
		Min. Breaking load:2600kg	W: 73.2mm	
		Net Weight:79.9g		
		Color: Any Color (Can be customized)		
		aluminum carabiner with ring		
JLS-1330+A Aluminum Carabiner	SWIVEL ALUMINIUM CARABINER	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:18.1g		
		Color: Any Color (Can be customized)		
JLS-1330+B Aluminum Carabiner	Cheap Aluminum Swivel Carabiner	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:18.7g		
		Color: Any Color (Can be customized)		
JLS-1330+C Aluminum Carabiner	Competitive price Multi use custom large aluminum carabiners	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:19g		
		Color: Any Color (Can be customized)		
JLS-1330+D Aluminum Carabiner	2017 Best Selling Aluminium alloy Carabiner clips lanyard hook	Material:A7075		
		Min. Breaking load:400kg		
		Net Weight:19.4g		
		Color: Any Color (Can be customized)		
JLS-13301+A Aluminum Carabiner	Turn Lock Swivel Aluminium Carabiner with Ring for dog leash	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:21.5g		
		Color: Any Color (Can be customized)		

JLS-13301+B Aluminum Carabiner	2017 Factory price climbing carabiner wholesale	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:22.1g		
		Color: Any Color (Can be customized)		
JLS-13301+C aluminum Carabiner	Custom Aluminum Outdoor Camping Carabiner	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:22.4g		
		Color: Any Color (Can be customized)		
JLS-13301+D Aluminum Carabiner	Wholesale Products China Best Quality portable small carabiner	Material:A7075		
		Min. Breaking load:400kg		
		Net Weight:22.8g		
		Color: Any Color (Can be customized)		
JLS-1303+A Aluminum Carabiner	Factory mountaineering deduction carabiner wholesale	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:20.9g		
		Color: Any Color (Can be customized)		
JLS-1303+B Aluminum Carabiner	Manufacturer price Carabiner and aluminum carabiner hook	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:21.5g		
		Color: Any Color (Can be customized)		
JLS-1303+C aluminum Carabiner	Top selling Camping Hiking Climbing mini Carabiner Clips	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:21.8g		
		Color: Any Color (Can be customized)		
JLS-1303+D aluminum Carabiner	Latest style Camping carabiner clip,cheap metal carabiners	Material:A7075		
		Min. Breaking load:400kg		
		Net Weight:22.2g		
		Color: Any Color (Can be customized)		
JLS-1303TN+A aluminum Carabiner	China wholesale cheap high quality aluminum carabiner hook	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:23.2g		
		Color: Any Color (Can be customized)		
JLS-1303TN+B aluminum Carabiner	D Shape Silver Aluminum Alloy Carabiner With High Quality Mini Aluminum Carabiner	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:23.9g		
		Color: Any Color (Can be customized)		

JLS-1303TN+C aluminum Carabiner	Good Reputation D shaped screw lock carabiner	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:24.1g		
		Color: Any Color (Can be customized)		
JLS-1303TN+D aluminum Carabiner	D Shape Cheap Carabiners wholesale Carabiner for Hiking	Material:A7075		
		Min. Breaking load:400kg		
		Net Weight:24.5g		
		Color: Any Color (Can be customized)		
JLS-1305+A Aluminum Carabiner	Quality Guaranteed Aluminum Alloy Metal Carabiner Hook	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:21.2g		
		Color: Any Color (Can be customized)		
JLS-1305+B Aluminum Carabiner	China Aluminum D shape rock metal climbing carabiners	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:21.8g		
		Color: Any Color (Can be customized)		
JLS-1305+C aluminum Carabiner	Competitive price Shiny Carabiner and swivel carabiner hook	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:22.1g		
		Color: Any Color (Can be customized)		
JLS-1305+D aluminum Carabiner	Aluminum climbing carabiner with wire gate/carabiner rock climbing	Material:A7075		
		Min. Breaking load:400kg		
		Net Weight:22.5g		
		Color: Any Color (Can be customized)		
JLS- 1305N+A,B,C, D aluminum Carabiner	Aluminum climbing carabiner with wire gate/carabiner rock climbing	Material:A7075		
		Min. Breaking load:400kg		
		Net Weight:24g		
		Color: Any Color (Can be customized)		
JLS-1305TN+A aluminum Carabiner	Aluminium Material custom D Shaped Carabiner	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:21.9g		
		Color: Any Color (Can be customized)		
JLS-1305TN+B aluminum Carabiner	Promotion custom D Shape Aluminum Climbing Carabiners bulk	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:23.9g		
		Color: Any Color (Can be customized)		

JLS-1305TN+C aluminum Carabiner	New Design Climbing aluminium carabiners hooks	Material:A7075		
		Min. Breaking load:500kg		
		Net Weight:23.8g		
		Color: Any Color (Can be customized)		
JLS-1305TN+D aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A7075		
		Min. Breaking load:400kg		
		Net Weight:24.2g		
		Color: Any Color (Can be customized)		
		A-B-C-D Ring		
JLS-1350U+A aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A7075		
		Min. Breaking load:kg		
		Net Weight:13.6g		
		Color: Any Color (Can be customized)		
JLS-1350C+B aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A7075		
		Min. Breaking load:kg		
		Net Weight:14.8g		
		Color: Any Color (Can be customized)		
JLS-1350C+C aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A7075		
		Min. Breaking load:kg		
		Net Weight:15g		
		Color: Any Color (Can be customized)		
JLS-1350C+D aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A7075		
		Min. Breaking load:kg		
		Net Weight:15.2g		
		Color: Any Color (Can be customized)		
JLS-A2440 aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A6061		
		Min. Breaking load:kg		
		Net Weight:g		
		Color: Any Color (Can be customized)		
JLS-A1401+B aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A7075		
		Min. Breaking load:25kN		
		Net Weight:462.2g		
		Color: Any Color (Can be customized)		

JLS-A+C Swivel	Swivel Ring	Material:A7075		
		Min. Breaking load:5kN		
		Net Weight:11.7g		
		Color: Any Color (Can be customized)		
JLS-A+D Swivel	Aluminum Double Eye Swivel Ring	Material:A7075		
		Min. Breaking load:4kN		
		Net Weight:12.1g		
		Color: Any Color (Can be customized)		
JLS-B+B Swivel	5KN breaking force aluminum double swivel Bolt ,Red swivel aluminum ring	Material:A7075		
		Min. Breaking load:5kN		
		Net Weight:11.9g		
		Color: Any Color (Can be customized)		
JLS-B+C Swivel	round eye chain swivel ring for lifting	Material:A7075		
		Min. Breaking load:5kN		
		Net Weight:12.05g		
		Color: Any Color (Can be customized)		
JLS-B+D Swivel	US Type aluminum Round Eye Swivel Ring	Material:A7075		
		Min. Breaking load:5kN		
		Net Weight:12.4g		
		Color: Any Color (Can be customized)		
JLS-C+D Swivel	Hardware Rigging heavy duty painted red round link screw hoist swivel ring	Material:A7075		
		Min. Breaking load:4kN		
		Net Weight:12.7g		
		Color: Any Color (Can be customized)		
JLS-C+C Swivel	Hardware Rigging heavy duty painted red round link screw hoist swivel ring	Material:A7075		
		Min. Breaking load:4kN		
		Net Weight:12.7g		
		Color: Any Color (Can be customized)		
JLS-D+D Swivel	Hot sales aluminum Lifting Eye Swivel / Ring	Material:A7075		
		Min. Breaking load:4kN		
		Net Weight:13.2g		
		Color: Any Color (Can be customized)		
JLS-S 钩 aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A6061		
		Min. Breaking load:100kg		
		Net Weight:24.2g		
		Color: Any Color (Can be customized)		

JLS-独眼龙 aluminum Carabiner	Camping Fishing Hiking Traveling Aluminum locking carabiners	Material:A7075/A6061		
		Min. Breaking load:100kg		
		Net Weight:24.2g		
		Color: Any Color (Can be customized)		
JLS-A5001	Aluminium Material custom D Shaped Carabiner	Material:Aluminum alloy		
		Net Weight:23.8g		
JLS-A5002	Aluminium Material custom D Shaped Carabiner	Material:Aluminum alloy		
		Net Weight:10g		
JLS-A5003	Aluminium Material custom D Shaped Carabiner	Material:Aluminum alloy	L:81mm Thickness:42mm Inside width:7mm	
		Net Weight:20.4g		
JLS-A5004	Aluminium Material custom D Shaped Carabiner	Material:Aluminum alloy	L:76mm Thickness:45mm Inside width:8mm	
		Net Weight:22.4g		
JLS-A5005	Aluminium Material custom D Shaped Carabiner	Material:Aluminum alloy	L:61mm Thickness:34.3mm	
		Net Weight:5.1g		
JLS-A5006	Aluminium Material custom D Shaped Carabiner	Material:Aluminum alloy	L:50mm Thickness:26.2mm	
		Net Weight:9.2g		
JLS-P1001		Material:Plastic (POM)	L:83mm Thickness:51mm Inside width:mm	
		Net Weight:18.4g		
JLS-P1002		Material:细性PE	L:mm Thickness:mm Inside width:mm	
		Net Weight:23.8g		


Meets or Exceeds : ANSI Z359.12-09, CSA Z259.12-11, EN362-2004, Detail Minimum Requirement As Outlined For Hooks And Carabiners Per Standard As Below :

MINIMUM REQUIREMENTS AS OUTLINED FOR HOOKS AND CARABINERS PER STANDARD

Standard	CSA Z259.12-11 11	CSA Z259.12-11 11	CSA Z259.12-11 11	EN 362-2004 11	EN 362-2004 11	EN 362-2004 11	EN 362-2004 11
Major Axis	5000 lbf (22.2kN)	5000 lbf (22.2kN)	5000 lbf (22.2kN)	5000 lbf (22.2kN)	5000 lbf (22.2kN)	4500 lbf (20 kN)	***
Gate Face	500 lbf (222 N)	3600 lbf (16kN)	3600 lbf (16kN)	220 lbf (10kN)	3600 lbf (16kN)	220 lbf (10kN)	N/A
Side Load	300 lbf (1.35kN)	3600 lbf (16kN)	3600 lbf (16kN)	300 lbf (1.35kN)	3600 lbf (16kN)	300 lbf (1.35kN)	N/A
Minor Axis	N/A	3600 lbf (16kN)	3600 lbf (16kN)	N/A	3600 lbf (16kN)	300 lbf (1.35kN)	***
Transverse	N/A	N/A	3600 lbf (16kN)	N/A	3600 lbf (16kN)	N/A	N/A

* New Standard requires Minor Axis loading for connectors with non-rigid eyes.
 ** 2k Basic Connector 1075 lbf (76kN), Multi-Use Connector 3375 lbf (15kN)
 *** N/A: Light Use - Major Axis gate closed 500 lbf (222 N), Major Axis gate open 150 lbf (67N), Minor Axis 150 lbf (67N)
 General Use - Major Axis gate closed 800 lbf (357 N), Major Axis gate open 240 lbf (107 N), Minor Axis 240 lbf (107 N)
 **** New Standard requires Minor Axis loading for connectors with opening ends with no dog.

TRANSVERSE BODY LOADING TEST FIXTURE (STATIC)




Jinlong Stamping Factory

MINIMUM REQUIREMENTS AS OUTLINED FOR HOOKS AND CARABINERS PER STANDARD

Standard	CSA Z259.12-11 11	CSA Z259.12-11 11	CSA Z259.12-11 11	EN 362-2004 11	EN 362-2004 11	EN 362-2004 11	EN 362-2004 11
Major Axis	5000 lbf (22.2kN)	5000 lbf (22.2kN)	5000 lbf (22.2kN)	5000 lbf (22.2kN)	5000 lbf (22.2kN)	4500 lbf (20 kN)	***
Gate Face	500 lbf (222 N)	3600 lbf (16kN)	3600 lbf (16kN)	220 lbf (10kN)	3600 lbf (16kN)	220 lbf (10kN)	N/A
Side Load	300 lbf (1.35kN)	3600 lbf (16kN)	3600 lbf (16kN)	300 lbf (1.35kN)	3600 lbf (16kN)	300 lbf (1.35kN)	N/A
Minor Axis	N/A	3600 lbf (16kN)	3600 lbf (16kN)	N/A	3600 lbf (16kN)	300 lbf (1.35kN)	***
Transverse	N/A	N/A	3600 lbf (16kN)	N/A	3600 lbf (16kN)	N/A	N/A

* New Standard requires Minor Axis loading for connectors with non-rigid eyes.
 ** 2k Basic Connector 1075 lbf (76kN), Multi-Use Connector 3375 lbf (15kN)
 *** N/A: Light Use - Major Axis gate closed 500 lbf (222 N), Major Axis gate open 150 lbf (67N), Minor Axis 150 lbf (67N)
 General Use - Major Axis gate closed 800 lbf (357 N), Major Axis gate open 240 lbf (107 N), Minor Axis 240 lbf (107 N)
 **** New Standard requires Minor Axis loading for connectors with opening ends with no dog.

TRANSVERSE BODY LOADING TEST FIXTURE (STATIC)



Jinlong Stamping Factory

ANSI/ASSE Z359.12-2009 REQUIREMENTS FOR SNAP HOOKS AND CARABINERS

The American National Standard (ANSI/ASSE Z359.1-2007) became effective November 24, 2007. The new standard increased the minimum gate face and side load requirements for connectors to meet or exceed 3,600lb (16kN).

Connectors with non-integral eyes are also required to meet a minor axis gate strength of 3,600 lbs (16kN). The connector gate must be marked with the load rating; the body of the connector must be marked with a major axis load rating. Non-integral connectors are to be clearly marked with ANSI Z359.1.

This standard changed to ANSI/ASSE Z359.12-2009 effective November 2009 incorporating a dynamic drop test requirement. With the New CSA standard Z259.12-11 the Canadian and US standards are harmonized with respect to the requirements for connectors.

Destructive Testing: Testing Configuration

