











## BE WITH US, BE WITH SAFETY!

Factory Add: NO.33 Technology Street, Ninghai, Ningbo

Office Add: 5F, Guangbo International Centre, No.1357 Yinxian Road, Ningbo, China

Tel: 0086-574-82815295

Mob: 0086-13989392999 (Wechat, Whats App)

Fax: 0086-574-82815296

P.C: 315100

Web: www.nb-jiulong.com / www.jltiedown.com

Email: sales@jlhardware.com / jack@jlhardware.com















## 宁波九隆国际有限公司

NINGBO JIULONG INTERNATIOANL CO.LTD

# **AUTO ACCESSORY 2024**





#### COMPANY PROFILE

NINGBO JIU LONG HARDWARE CO.,LTD. is a joint venture company which owns two other subsidiaries: ZHE JIANG Jin Long Machinery Rigging CO.,LTD. It locates in Ninghai High-tech Industrial park Ningbo city-well-know as eastern pearl of China with beautiful sight-seeing. As the park is just near to the express way and main road, the transportation here is very convenient with NingBo airport, Beiluo port just nearby.

Our services cover designing, manufacturing and sales of Kitchen utensils, hardware, wire shelf, supermarket shelves, machinery and riggings. There are over 400 products, among them 12 have got national patent. Owning to our refined design, original appearance and excellent workmanship, our products are now popular in over ten countries and areas like the States, Germany, Japan and Taiwan etc.

For years, we have been the Keen manufacturing company in our areas and have won the titles as city is "Contract stressed and credit reliable" company, AAA credit ranking company.

Our fixed asset is over RMB 180million (USD22.5million) and the company covers over 66,000 square meters with buildings of 42000 square meters. Totally we have 1050 employees, 158 of them are junior and senior engineers, 258 are skilled technicians.

Here following are the main equipment we have:

Imported auto chrome-painting line	2	EA
Imported auto powder-painting line	4	EA
Imported auto zinc-painting line	2	EA
Imported threading-drawing machine	4	EA
Imported alignment machine	18	EA
Imported spot-welding machine	40	EA
Imported bending machine	4	EA
Mould finish-machining equipment	30	EΑ
100T-500T Hydraulic press Machine	10	EΑ
Large scale Hydraulic plate-cutting machine	2	EA
5T-250T Punch machine	60	EA
160T-1000T friction press	30	EA

We are rapidly growing into a high-tech manufacturing company specialized in the production of kitchen hardware, wire shelf, supermarket shelves, machinery rigging series products with our advanced equipment, high efficiency stuffs, aggressive R & D and strong exploring spirit.

We can not only design and make all kinds of products within our product lines, we have set up an overall quality-control system from the raw material to finished products also. This enables us to pass ISO9001 approval.

We always hold our company idea "result-oriented, innovation, hard-working and surpassing" and this beings our unique company culture as "frank behaving, steady working, aggressive exploring and life-long studying" and our operation principle as "Innovation, sincere service, credit-stressing and supreme-quality".

We'd like to provide our customers with products of big variety, high quality and attractive appearance.







#### FLOOR JACK BIRSH



Model	A0101
Capacity(ton)	2
Min.H.(mm)	125
Lifting.H.(mm)	175
Max.H.(mm)	300
N.W.(kg)	6.5
G.W.(kg)	7
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	45X21X14
20'Container(pcs)	2300



Model	A0101B
Capacity(ton)	2
Min.H.(mm)	125
Lifting.H.(mm)	175
Max.H.(mm)	300
N.W.(kg)	6.5
G.W.(kg)	7.5
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	45X21X14
20'Container(pcs)	2300



0	
Model	A0102B
Capacity(ton)	2
Min.H.(mm)	135
Lifting H.(mm)	200
Max:H.(mm)	335
N.W.(kg)	7.5
G.W.(kg)	8.5
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	48X23.3X15.5
20'Container(pcs)	1900
CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	



Model	A0102
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	200
Max.H.(mm)	335
N.W.(kg)	7.5
G.W.(kg)	8
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	45.5X20X14.5
20'Container(pcs)	2100



Model	A0103
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	200
Max.H.(mm)	335
N.W.(kg)	8.5
G.W.(kg)	9
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	45.5X21X14.5
20'Container(pcs)	2100

## FLOOR JACK B頂系列

Model	A0103B
Capacity(ton)	2
Min,H.(mm)	135
Litting.H.(mm)	200
Max.H.(mm)	335
N.W.(kg)	8.5
G.W.(kg)	9.5
Package	Blow Case
Qty/Ctn(pcs)	
Measurement(cm)	48X23.3X15.5
20'Container(pcs)	1900



Model	A0104
Capacity(ton)	2
Min.H.(mm)	135
Lifting H.(mm)	215
Max.H.(mm)	350
N.W.(kg)	9.5
G.W.(kg)	10
Package.	Color Box
Oty/Ctn(pcs)	1
Measurement(cm)	50.5X21X15
20'Container(pcs)	1900



Model	A0105
Capacity(ton)	2
Min.H.(mm)	140
Lifting H.(mm)	240
Max.H.(mm)	380
N.W.(kg)	- 11
G.W.(kg)	11.5
Package	Color Box
Qty/Ctn(pcs)	- 1
Measurement(cm)	55.5X20X16.
20'Container(pcs)	1600





Model	A0104B
Capacity(ton)	2
Min.H.(mm)	135
Litting.H.(mm)	215
Max.H.(mm)	350
N.W.(kg)	9.5
G.W.(kg)	10.5
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	53X23X15
2000 cotaleterines	+500



A0105B
2
140
240
380
11
12
Blow Case
1
56X21.5X17
1350



#### FLOOR JACK BREN



Model	A0201
Capacity(ton)	3
Min.H.(mm)	140
Lifting.H.(mm)	320
Max.H.(mm)	460
N.W.(kg)	22
G.W.(kg)	23
Package:	Color Box
Qty/Ctn(pcs)	- 1
Measurement(cm)	63X37X19
20'Container(pcs)	630



Model	A0202
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	26
G.W.(kg)	27
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530




Model	A0204
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	30
G.W.(kg)	31
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530

h	3TON
Model	A0203
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	28
G.W.(kg)	29
Package	Color Box
Oty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530



Model	A0205
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	32
G.W.(kg)	33
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530

## FLOOR JACK B頂系列





Model	A0207
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	385
Max.H.(mm)	520
N.W.(kg)	36
G.W.(kg)	37
Package	Color Box
Qty/Ctri(pcs)	1
Measurement(cm)	77X38X21
20 Container(pcs)	450

	Model	A0208				
	Capacity(ton)	3				5
	Min.H.(mm)	135				1
	Lifting.H.(mm)	360				A
	Max.H.(mm)	495				
	N.W.(kg)	28				1
	G.W.(kg)	30			- 100	
	Package	Color Box	Zi.			
	Qty/Ctn(pcs)					100
	Measurement(cm)	58X38X20				
	20'Container(pcs)	530			-	-
		خر		0 0	370N	6
		d		Model	Зтом	O
		E		Model	3†ON	0
5		6		Capacity(ton)	370N	
5		6		Capacity(ton) Min.H.(mm)	370N A0209 3 -135	
5				Capacity(ton) Min.H.(mm) Lifting.H.(mm)	370N A0209 3 (135) 360	
				Capacity(ton) Min.H.(mm) Lifting.H.(mm) Max.H.(mm)	370N A0209 3 (135) 360 490	
				Capacity(ton) Min.H.(mm) Lifting.H.(mm) Max.H.(mm) N.W.(kg)	370N A0209 3 135 360 490 32	
				Capacity(ton) Min.H.(mm) Lifting.H.(mm) Max.H.(mm) N.W.(kg) G.W.(kg)	370N A0209 3 135 360 490 32 34	
		AO		Capacity(ton) Min.H.(mm) Litting.H.(mm) Max.H.(mm) N.W.(kg) G.W.(kg) Package	370N A0209 3 135 360 490 32	
		Ao	TON	Capacity(ton) Min.H.(mm) Lifting.H.(mm) Max.H.(mm) N.W.(kg) G.W.(kg)	370N A0209 3 135 360 490 32 34	



#### BOTTLE JACK 01 SERIES \* TROIS TO



B0101B-B0106B



2TON



B0102/B0102B 4TON



B0103/B0103B 6TON



B0104/B0104B 8TON



B0105/B0105B 10TON



B0106/B0106B 12TON



B0107 16TON



80108 20TON



80109 25TON

Model:	Capacity (ton)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
B0101	2	158	90	50	298	2.2	23	Color Box	10	52x22.5x17	9560
B0102	3 or 4	195	125	60	380	3.2	17	Color Box	5	56x12.5x20.5	6470
B0103	6	197	125	60	382	4	21	Color Box	5	60x13.5x21	5230
B0104	ā	200	125	60	385	5.	26	Color Box	5	62x14.5x21	4230
B0105	10	200	125	60	385	5.3	27.5	Color Box	5	65x15x21	4000
B0106	12	210	125	(60)	395	6.5	27	Color Box	4	56x15x22	3250
B0107	16	220	135	60	415	7.5	31	Color Box	4	60x16x23	2830
B0108	20	235	135	60	430	9.6	20.2	Color Box	2	34x18.5x24.5	2170
B0109	25	255	150	60	465	11.5	24	Color Box	2	34x18.5x26.5	1830



80110 32TON



32TON



B0112 High 32 TON



B0113 Thick base 32TON







80115 50TON



50TON



100 TON

Model	Capacity (ton)	Min.H. (mm)	Litting H. (mm)	Adjust.H. (mm)	Max H. (mm)	N.W (kg)	(xg) G.M	Package	Oty Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0110	32	255	150	- /-	405	12.5	26	Color Box	2	37x19x26.5	1690
80111	32	255	150	60	465	13	27	Color Box	2	37x19x26.5	1620
B0112	32 High	285	180	1	485	13.5	14.5	Carton	1	19x19x29.5	1510
B0113	32 Thick base	285	180	- 1	465	15	16	Carton	1	19x19x29.5	1370
B0114	32	225	120	60	405	13	27	Color Box	2	37x19x23.5	1620
B0115	50	255	150	1	405	19	20	Carton	1.	20.5x18x26.5	1100
B0116	50	300	180	1	480	30	31	Carton	1	23.8x21.5x31	700
80117	100	335	180	- 1	515	68	70	Wooden Case	1	32.5x26.5x36	310



Model	Capacity (ton)	Min.H. (mm)	Lifting H. (nvn)	Adjust H. (mm)	Max H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
B0101B	2	158	90	50	298	2.2	17.2	Blow Case	6	34.5x34.5x25.5	7670
B0102B	3 or 4	195	125	60	380	3.2	23.2	Blow Case	6	38.5x35x29.5	5689
B0103B	6	197	125	60	382	4	19	Blow Case	-747	39.5x26.5x32	4630
B0104B	8	200	125	60	385	5	23	Blow Case	4	39.5x26.5x32	3820
B0105B	10	200	125	60	385	5.3	24.2	Blow Case	4	44x31.5x33	3630
B0106B	12	210	125	60	395	6.5	29	Blow Case	- 4	44x31.5x33	3030



#### BOTTLE JACK 02 SERIES 立顶02系列



B0208

20 TON





80202/802028

4TON

**12**TON

TITERANDIC AND

B0206

12 TON

REAL SHIPPERSON

B0210 50 TON



30TON

#### BOTTLE JACK 03 SERIES 立顶03系列



	32 TON			<b>50</b> TO	
Model	Capacity (ton)	Min.H. (mm)	Litting.H. (mm)	Adjust.H: (mm)	11
B0301	2	148	80	50	
B0302	3	158	90	50	
B0303	5	180	110	60	
B0304	8	185	110	60	



	50	
	Promotic JAST	J
1		
U	0	
	50TON	

Model	Capacity (ton)	Min.H. (mm)	Litting H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W.	Package	Oty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
B0301	2	148	80	50	278	2.1	22	Color Box	10	52x22x15.8	10000
B0302	3	158	90	50	298	2.3	24	Color Box	10	52x22.5x17	9160
B0303	5	180	110	60	350	3.3	17.5	Color Box	5	58x13x19	6280
B0304	8	185	110	60	355	3.6	19	Color Box	5	62x14x19.5	5780
B0305	10	195	120	60	380	5	26	Color Box	5	63x14.5x20.5	4230
B0306	12	200	125	60	385	5.5	23	Color Box	4	54x14.5x21	3820
B0307	15 or 16	210	145	60	405	6.5	27	Color Box	4	58x15.5x22	3250
B0308	20	235	135	(60)	430	.8	17	Color Box	2	33x18x24.5	2580
B0309	32	255	150	60	460	11.5	24	Color Box	2	34x18.5x26.5	1830
B0310	32	255	150	1	405	10.8	22.6	Color Box	2	34x18.5x26.5	1940
B0311	50	225	120	60	405	18.5	19.5	Carton	1	20.5x18x23.5	1120
B0312	50	255	150	60	465	19.5	20,5	Carton		20.5x18x28.5	1070
B0313	50	255	150	- 1	405	19	20	Carton	-1	20.5x18x26.5	1100

50TON

B0311

Min.H. (mm) Lifting H. (mm) N.W. (kg) G.W. (kg) Adjust.H. Max.H. Measurement 20 Container Package (mm) (pcs) 344 10 80201 181 113 50 2.5 26: Color Box 52x22x19.1 8460 59.5x12.5x20.5 5470 194 60 372 413 64.5x13.5x22.6 5000 B0203 216 70 Color Box 127 4.2 22 B0204 230 147 80 457 5.5 Color Box 54x14x24 3820 23 56x15x24 3520 10 80 460 Color Box 230 12 238 155 80 473 72 15.4 Color Box 30x15.5x25 2850 16 230 150 60 440 Color Box 31x15x24 2580 36x17.5x25 2030 20 60 451 241 10.3 Color Box 150 21.6 240 375 19 Carton 20.5x18x25 1100 135 20 750 356 29 23.8x21.5x25



PRINCE MA

B0207

Model	Capacity (ton)	Mini.H. (mm)	Litting H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
B0201B	2	181	113	48	342	2.5	19	Blow Case	6	34.5x34.5x28.5	6940
B02028	4	194	118	60	372	3.2	23.2	Blow Case	6	38.5x35x29.5	5680
B0203B	6	216	127	70	413	4.2	19.8	Blow Case	:4	39.5x26.5x33.5	4440



#### BOTTLE JACK 04 SERIES 立顶01系列





B0401/B0401B 2TON



80410 32TON

32TON



B0412 32TON



B0402/B0402B

B0406/B0406B

12TON

3 or 4

25

B0401

B0402

B0403

B0404

B0406

80407

80408

B0409

158

195

197

200

200

210

220

235

255

125

125

125

125

135

135

150





B0407 16TON

50

60

60

60

60

60

60

60

Max H.

298

380

382

385

385

395

415

430

465



B0408 20 TON

Color Box

10

G.W.

24

17.5

22

27

28.5

32.2

21

24.6

2.3

3.3

4.2

5.2

5.5

6.8

7.8

10

11.8



80409 25TON



80413 32TON



32<sub>TON</sub>




B0415 **50**TON



B0416 50TON

Model	Capacity (ton)	Min.H. (mm)	Lifting H (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (om)	20'Container (pcs)
B0410	32	255	150	- /	405	12.8	26.6	Color Box	2	37x19x26.5	1650
B0411	32	255	150	60	465	13.5	28	Color Box	2	37x19x26.5	1570
B0412	32	285	180	1	465	13.8	14.8	Carton	1	19x19x29.5	1480
B0413	32	225	120	60	405	13.3	27.6	Color Box	2	37x19x23.5	1590
B0414	32	285	180	15	465	15	16	Carton	- 1	19x19x29.5	1370
B0415	50	255	150	- 1	405	19	20	Carton	11	20.5x18x26.5	1100
B0416	50	300	180	1	480	30	31	Carton	74	23.8x21.5x31	700



Model	Capacity (ton)	Min.H. (mm)	Lilting.H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20 Containe (pcs)
B0401B	2	158	90	50	298	2.3	17.8	Blow Case	- 6	34.5x34.5x25.5	7410
B0402B	3 or 4	195	125	60	380	3.3	23.8	Blow Case	- 6	38.5x35x29.5	5540
B0403B	6	197	125	60	382	4.2	19.8	Blow Case	4	39.5x26.5x32	4440
B0404B	8	200	125	60	385	5.2	23.8	Blow Case	4	39.5x26.5x32	3690
B0405B	10	200	125	60	385	5.5	25	Blow Case	- 4	44x31.5x33	3520
B0406B	12	210	125	60	395	6.8	30.2	Blow Case	4	44x31,5x33	2910



#### BOTTLE JACK 05 SERIES 立顶05系列



В0507 <b>16</b> тог	v /		P. 10. 27	0508 <b>0</b> TON				B0509 <b>O</b> TON	1
Model	Capacity (ton)	Min.H. (mm)	Litting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)
B0501	2	181	113	50	344	2.6	27	Color Box	10
B0502	4	194	118	60	372	3.2	117	Color Box	5
B0503	6	216	127	70	413	4.3	22.5	Color Box	.5
B0504	8	230	147	80	457	5.8	24.2	Color Box	14.
B0505	10	230	150	80	460	6.3	26.2	Color Box	4
B0506	12	238	150	80	468	7.4	15.8	Color Box	2

440

451

375

356

8.2

10,5

-		
IR	St. K	11
- 148	200	N.
H	192	
- U		- 1

230

241

240

236

150

B0507

B0508

Model	Capacity (ton)	Min.H. (mm)	Litting H. (mm)	Adjust H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0501B	2	181	113	48	342	2.6	19.6	Blow Case	(6)	34.5x34.5x28.5	6730
B0502B	4	194	118	60	372	3.2	23.2	Blow Case	6	38.5x35x29.5	5680
B0503B	6	216	127	70	413	43	20.2	Blow Case	- 4	39 5x26 5x33 5	4350

17.4

22

Color Box

Color Box

Carton

Carton

2TON

B0510 **50**TON

52x22x19.1

59.5x12.5x20.5

64.5x13.5x22.6

54x14x24

56x15x24

30x15.5x25

31x16x24

36x17.5x25

20.5x18x25

23 8x21 5x25

20 Container (pcs)

8140

6470

4880

3630

3350

2520

2000

1100

750

#### DOUBLE RAM BOTTLE JACK ###



Model	Capacity (ton)	Min.H. (mm)	Litting H (mm)	Adjust.H. (mm)	N.W. (Fg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
80601	2	165	190	55	2.9	16	Color box	5	60x14.5x20	5400
B0602	3 or 4	150	160	35	4.5	18	Color box	5	65.5x14x22	4800
B0603	5 or 6	154	160	40	5.5	23	Color box	4.	60x16x20	3000
B0604	8	156	160	40	6	25	Color box	4	60x16x20	2800
B0605	10	225	285	50	8.5	18	Color box	2	32.5x17.5x27	1800
B0606	12	230	285	50	10.5	22	Color box	2	34x19,5x27	1600
B0607	16	232	285	50	12	25	Calor bax	2	35.5x19.5x27	1400
B0608	20	235	285	50	15.5	16.5	Color box	- 1	20x19x25	1000
B0609	30 or 32	250	280	1	22	22.5	Color box	- 1	23x21x26	800



## HYDRAULIC AIR BOTTLE JACK TORK



B0701 5TON



80709 80710 80711 30TON



B0702 5 TON





80705 20TON



80704 12TON



80706 **20**TON





B0712 30TON



B0713 50 TON

Model	Capacity (ton)	Min.H. (mm)	Litting H. (mm)	Adjust H. (mm)	Max.H. (mm)	(kg)	G.W. (kg)	Measurement (cm)	20'Container (pcs)
B0701	5	210	140	80	430	6	7	17x20x23	3150
B0702	(5)	210	140	80	430	6	7.0	17x20x23	3150
B0703	12	250	165	80	495	12	13	24x18x28	1700
80704	12	250	165	80	495	12	13	24x18x28	1700
B0705	20	210	100	80	390	15	16	26x21x23	1400
B0706	20	260	170	80	510	16	17	28x20x28	1300
B0707	20	260	170	80	510	16	17	28x20x28	1300
B0705	20	260	170	80	510	16	17	28x20x28	1300
B0709	30	250	150	11	405	21	22	29x22x27	1000
B0710	32	250	150	27	405	21	22	29x22x27	1000
80711	35	250	150	1	405	21	22	29x22x27	1000
B0712	30	250	150	- 2	405	21	22	29x22x27	1000
80713	50	265+25	160	1	425+25	34	36	46x28x31	610

B0805 **50**TON



# HYDRAULIC AIR BOTTLE JACK TOBER B0802/B0803 30/35TON 80801 22TON 80804 35TON

Model	Capacity (ton)	Min.H. (mm)	Lifting H (mm)	Adjust H. (mm)	N.W. (kg)	G.W. (kg)	Max.H. (mm)	Qty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
B0801	22	225+20	130	80	36	38	435+100	(4)	64x35x30	410
B0802	30	257+20	150	120	42	44	527+100	10	64x35x32	390
B0603	35	257+20	150	120	42	44	527+100	1	64x35x32	390
B0804	35	230+25	135		33	34	365+25	-1:	76x24x25	610
B0805	50	260+20	160	1	44.5	46	420+100	- (4)	64x35x32	390

## COMBINATION KIT # ##



Model	B0901
Capacity(ton)	2
N.W.(kg)	5,5
G.W.(kg)	6.0
Qty/Ctn(pcs)	1 Set
Measurement(cm)	48x29.5x15.5
20'Container(pcs)	3000

2TON

Model	B0902
Capacity(ton)	3
N.W.(kg)	41
G.W.(kg)	43
Oty Ctn(pcs)	1 Set
Measurement(cm)	65x37x20
20'Container(pcs)	380



80902 3TON



Model	B0903
Capacity(ton)	2
N.W.(kg)	12.1
G.W.(kg)	13,5
Oty/Ctn(pcs)	1 Set
Measurement(cm)	47x21,5x29.5
20'Container(pcs)	950

Model	B0904
Capacity(to	n) 2
N.W.(kg)	20
G.W.(kg)	21.5
Qty/Ctn(pcs	1 Set
Measureme	nt(cm) 51x32.5x38.5
20'Containe	r(pcs) 400





B0904 2TON

Model	80905
Capacity(ton)	3
N.W.(kg)	46.5
G.W.(kg)	45.5
Qty/Ctn(pcs)	1 Set
Measurement(cm)	85x38.5x26
20'Container(pcs)	340



#### SCREW JACK 蝶旋原



Model	Capacity (ton)	Min.H. (mm)	Lifting H. (mm)	Adjust H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
20101	3.2	220	110	10	4.9	21.6	Carton	4	53,5x26x16	4400
C0102	5	250	130	(//)	6.4	27.6	Carton	4	55x28.7x18	3500
C0103	8	260	140	- 1	6.5	28	Carton	4	55x28.7x18	3500
C0104	10	280	150	(7)	8.6	27.8	Carton	3	51x31.5x19.5	2550
C0105	100	200	75	(0)	5.9	25.6	Carton	4	55x28.7x18	3500
C0106	16	320	180		11.9	37.7	Carton	3	56x36,5x22.5	1800
C0107	20	325	180	9	12.5	39.5	Carton	3	56x36.5x22.5	1800
C0108	20D	225	90	(1)	10.2	32.6	Carton	3	56x36.5x22.6	1800
C0109	25	275	130	101	33.3	24.2	Carton	2	44.5x42x23.5	1900
C0110	32	395	200	::(1)	20.1	42.2	Carton	2	49x32.5x26.5	1100
C0111	32D	320	180	1	17.7	37.4	Carton	2	44.5x37x21.5	1240
C0112	50	452	250	100	36.2	38.2	Carton	1	50x39x31	610
00113	50D	330	150	(1)	29.2	30.2	Carton	1	38x36x27	720
20114	100	452	200	- 1	71.7	73.7	Carton	1	55x28.7x18	300
C0115	200	472	200	7	130	132	Carton	1	57x49x42	170

#### FARM JACK # # TA



20"

33"

D0103 48"

60"

Model	Сароспу	Min.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
D0101	20°	130	680	11	12	Carton	10	54x24x14	1450
D0102	33"	130	700	12:	13	Carton	5)	89x24x14	920
D0103	48"	130	1070	13	14	Carton	1	124x24x14	650
D0104	60"	130	1350	14	15	Carton	1	154x24x14	520



#### PORTA POWER JACK HATE



20 TON 20 TON 4 TON 10 TON

## SCISSOR JACK 剪頂



#### HYDRAULIC SCISSOR JACK

Model	F0108
Capacity(ton)	1.5
Min.H.(mm)	125
Lifting.H.(mm)	255
Max.H.(mm)	380
N.W.(kg)	7.5
G.W.(kg)	8.5
Qty/Ctn(pcs)	1
Measurement(cm)	44.5X19.5X16
20'Container(pcs)	2100





Model	Capacity (ton)	Min.H (mm)	Liffing H (mm)	N.W. (kg)	G.W. (kg)	Pachage	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
E0101	4	270	125	17	19	PVC CASE	1	58x25x16.5	1000
E0102	4	270	125	17	19	IRON CASE	- 3	63x36.5x17.5	660
E0103	10	358	135	30	32	PVC CASE	.1	74x42x17	600
E0104	10	358	135	30	32	IRON CASE	1	73x33x18.5	470
E0105A	20	358	135	31	33	IRON CASE	1	81x32x18.5	400
E0106B	20	358	135	33	35	IRON CASE	- 3	82x42x12	400

E0101 4TON

E0103 10 TON

Model	Copacity (ton)	Min.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Pachage	Oty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
F0101	1	90	310	2	22	Color Box	10	51x37x22	13000
F0102	-1	90	350	2.4	26	Color Box	10	52x43x22	11500
F0103	- 1	120	385	2.8	30	Color Box	10	65x44x23.5	9000
F0104	3	90	350	2.6	28	Color Box	10	52x43x22	11600
F0105	1.5	105	380	3.2	34	Color Box	10	65x44x23.5	8560
F0106	2	105	385	3.3	35	Color Box	10	65x44x23.5	8560
F0107	0.6	85	385	2.15	22	Color Box	10	41.5x37x22	13000

#### JACK STAND \*\*





G0101 2TON

Model	G0102
Capacity(ton)	-3
Min.H.(mm)	285
Lifting H. (mm)	140
Max.H.(mm)	425
N.W.(kg)	5
G.W.(kg)	5.3
Package	Color Box
Oty/Ctn(pcs)	
Measurement(cm)	20.5x18.5x33
20'Container(pcs)	2300



3TON



G0103 6TON

Model	G0103
Capacity(ton)	6
Min.H.(mm)	395
Lifting.H.(mm)	210
Max.H.(mm)	605
N.W.(kg)	9
G.W.(kg)	9.5
Package	Color Box
Qty/Ctn(pcs)	annual transce
Measurement(cm)	27.5x24.5x42.5
20'Container(pcs)	980

G0104 12TON

1210	14
Model	G0104
Capacity(ton)	12
Min.H.(mm)	487
Lifting.H.(mm)	261
Max.H.(mm)	748
N.W.(kg)	25
G.W.(kg)	26
Package	Color Box
Qty/Ctn(pca)	- Collins
Measurement(cm)	33x30x58
20'Container(pcs)	500



Model	G0105
Capacity(ton)	2
Min.H.(mm)	280
Lifting.H.(mm)	75
Max.H.(mm)	355
N.W.(kg)	3.2
G.W.(kg)	34
Package	Color Box
Qty/Ctn(pcs)	10
Measurement(cm)	67x27x31
20'Container(pcs)	4500

## JACK STAND ★#

Model	G0106
Capacity(ton)	3
Min.H.(mm)	280
Lifting.H.(mm)	75
Max.H.(mm)	355
N.W.(kg)	3.4
G.W.(kg)	36
Package	Color Box
Oty/Ctn(pcs)	10
Measurement(cm)	67x27x31
20'Container(pcs)	4500

G0106



Model	G0107
Capacity(ton)	2
Min.H.(mm)	265
Lifting.H.(mm).	100
Max H (mm)	365
N.W.(kg)	3
G.W.(kg)	16
Package	Color Box
Oty/Ctn(pcs)	5
Measurement(cm)	84x24x33
20'Container(pcs)	4000

G0107 2<sub>TON</sub>





Model	G0108GS
Capacity(ton)	2
Min.H.(mm)	280
Lifting.H.(mm)	148
Max.H.(mm)	428
N.W.(kg)	5,5
G.W.(kg)	5.8
Package	Color Box
Qty/Ctn(pcs)	5
Measurement(cm)	21x19x34
20'Container(pcs)	2000

G0110GS 6TON







Model	G0110GS
Capacity(ton)	6
Min.H.(mm)	417
Lifting.H.(mm)	195
Max.H.(mm)	612
N.W.(kg)	14
G.W.(kg)	14.5
Package	Color Box
Qty/Ctn(pcs)	5
Measurement(cm)	31x26,5x47.5
20'Container(pcs)	700



Model	G0109GS
Capacity(ton)	3
Min.H.(mm)	287
Lifting.H.(mm)	141
Max-H.(mm)	428
N.W.(kg)	7
G.W.(kg)	7.5
Package	Color Box
Oty/Ctn(pcs)	
Measurement(cm)	22x20x34,5
20 Container(pcs)	1850








Model	Capacity (lbs)	Operating H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
H0101	750	740	18	20	Carton	-11	85x18.5x19.5	790
H0102	1000	740	20	22	Carton	- 1	86x18.5x18.5	700
H0103	1250	850	27	28	Carton	1	79x21.5x21	640
H0104	1500	870	34	36	Carton	- 1	90x25x25	510
H0105	2000	850	38	39	Carton	- 1	102x33x17	330
H0106	2000	860	38	39	Carton	- 1	91x41x17	360


## LOAD LEVELER FAR



Model	Capacity (lbs)	Working Range (mm)	N.W. (kg)	G.W. (kg)	Package	Measurement (cm)	20'Container (pcs)
10101	1000	430	5.3	5.8	Carton	73x24x10	1580
10102	2000	315	5.8	6.5	Carton	49x20x9	2500
10103	4000	385	6.5	7	Carton	62x25x7	2680

#### ENGINE SUPPORT发动机支架

## CROSS BEAM ADAPTOR##



Model	Capacity (Kg)	N.W. (kg)	G.W. (kg)	Package	Measurement (cm)	20'Container (pcs)
J0101	300	16	18	Carton	105x22x8	970
J0102	500	20.5	22	Carton	155x15x12	800



Model	Capacity (ton)	Working Range (mm)	N.W. (kg)	G.W. (kg)	Measurement (cm)	20'Container (pcs)
J0201	2	590-930	11	12	73X13X14	1700



#### SHOP CRANE ##

#### PICKUP TRUCK CRANE

Model	K0101
Capacity(lbs)	1000
Working Range of boom(mm)	600-1050
Lifting Range(mm)	0-1800
N.W.(kg)	48
G.W.(kg)	50
Measurement(cm)	29x29x34 110x28x20
20'Container(pcs)	304



#### PICKUP TRUCK CRANE

Ш	Model	K0102
1 1	Capacity(lbs)	2000
	Working Range of boom(r	nm) 870-1290
4	Lifting Range(mm)	0-2300
P .	N.W (kg)	53
	G.W.(kg)	57
	Measurement(cm)	27.5x27.5x31 126x30x24
	20'Container(pcs)	200



Model	K0102
Capacity(lbs)	2000
Working Range of boom(	mm) 870-1290
Lifting Range(mm)	0-2300
N.W.(kg)	53
G.W.(kg)	57
Measurement(cm)	27.5x27.5x31 126x30x24
20'Container(pcs)	200

SHOP CRANE(FOLDABLE 折叠式)

136x31,5x16 73x58.5x9

Height of crane(mm) Length of grane(mm) N.W.(kg)

20'Container(pcs)



#### SHOP CRANE 固定式

Model	K0105
Capacity(ton)	- 2
Lifting H (mm)	2380
Height of crane(mm)	1450
Length of crane(mm)	1550
20 Container(pcs)	148

SHOP CRANE ##









#### SHOP CRANE 固定式

Model	K0104
Capacity(ton)	- 1
Lifting.H.(mm)	2300
Height of crane(mm)	1450
Length of crane(mm)	1550
N.W.(kg)	65
G.W.(kg)	68
Measurement(cm)	131x84x9 132x30x16
20'Container(pcs)	175



K0104

1TON



#### SHOP CRANE

Model	K0107
Capacity(ton)	3
Litting H.(mm)	2200
N.W.(kg)	115
G.W.(kg)	120
Measurement(cm):	135x83x12
	145x33x22
20'Container(pcs)	140





SHOP CRANE(FOLDABLE 折叠式)

1450

1550

3TON

Model Capacity(ton)

Lifting.H.(mm)

Height of crane(mm)

Length of crane(mm)

20'Container(pcs)

#### TRANSMISSION JACK

Model	L0101		
Capacity(ton)	0.5		
Min.H.(mm)	850		
Max H (mm)	1790		
N.W.(kg)	57		
G.W.(kg)	66		
Overall Dim(cm)	78X68X96		
Measurement(cm)	52x23x80		
20'Container(pcs)	230		



Model	L0102
Capacity(ton)	0.5
Min H (mm)	850
Max.H.(mm)	1790
N.W.(kg)	54
G.W.(kg)	62
Overall Dim(cm)	78X65X96
Measurement(cm)	52x23x80
20'Container(pcs)	230

L0102 0.5TON

#### TRANSMISSION JACK

Model	L0103
Capacity(ton)	0.5
Min.H.(mm)	850
Max.H.(mm)	1770
N.W.(kg)	75
G.W.(kg)	82
Overall Dim(cm)	
Measurement(cm)	55x37x90
20'Container(pcs)	180

SINGLE TRANSMISSION JACK

Min.H.(mm) Max.H.(mm) N.W.(kg) G.W.(kg)


L0105

1000

112x22.5x28



INICOST :	LU1UO:
Capacity(ton)	0.5
Min.H.(mm)	1300
Max.H.(mm)	1800
N.W.(kg)	28
G.W.(kg)	30
Overall Dim(cm)	87X87X130
Measurement(cm)	85.5x27x28
20'Container(pcs)	430



	Model	L0107
1	Capacity(ton)	0.6
Ī	Min.H.(mm)	1000
15	Max.H.(mm)	1900
	N.W.(kg)	37
	G.W.(kg)	43
	Overall Dim(cm)	57X57X110
. 8	Measurement(cm)	112x22.5x28
- 1	20'Container(pcs)	410

10108 1 TON

0.5 0.5

#### TRANSMISSION JACK

Model	L0108
Capacity(ton)	- 1
Min.H.(mm)	845
Max.H.(mm)	1770
N.W.(kg)	80
G.W.(kg)	89
Overall Dim(cm)	- Home
Measurement(cm)	55x37x100
20'Container(pcs)	135





del	L0108	
pacity(ton)	- 1	
.H.(mm)	845	
x.H.(mm)	1770	20
V (kg)	80	
W.(kg)	89	
erall Dim(cm)	- Hame	
asurement(cm)	55x37x100	
Container(pcs)	135	

#### LOW POSITION TRANSMISSION JACKIE E E E E



Model	Capacity (ton)	Min H. (mm)	Max H. (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
L0201	0.5	200	670	50	58	Carton	1	86x44x24	320
L0202	1	190	780	59	68	Carton	T	91x52x29	250
L0203	1.5	230	890	75	83	Carton	1.	97x55x29	210

## 0.5TON

#### TRANSMISSION JACK

Model	L0104
Capacity(ton)	0.5
Min.H.(mm)	845
Max.H.(mm)	1770
N.W.(kg)	76
G,W,(kg)	84
Overall Dim(cm)	78X68X96
Measurement(cm)	55x37x84
20'Container(pcs)	180

0.5 TON

0.5TON









Model	Capacity (ton)	Working Range (mm)	Width (mm)	N.W. (kg)	G.W. (kg)	Package	(pcs)	Measurement (cm)	20'Container (pcs)
M0101	4	330	350	32	33	Carton	1	65x28x15	650
M0102	6	0-250	360	30	32	Carton	1	98x15x15	540
M0103	10	0-330	380	48	50	Carton	10	76x53x16	380
M0104	12	0-990	380	58	60	Carton	1.	150x24x16	240
M0105	20	0-920	460	80	82	Carton	1	146x28x19	200
M0106	20	0-1030	530	80	82	Carton	1	148x28x19	200
M0107	30	0-1070	460	113	120	Carton	10	163x47x24	135
M0108	40	0-1080	650	192	217	Carton	1	198x54x30	77
M0109	50	0-1035	650	242	268	Carton	- 1	208x55x30	77

#### HYDRAULIC SHOP PRESS \* \* E E #



Model	Capacity (ton)	Working Range (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctri (pcs)	1# Measurement (cm)	2# Measurement (cm)
M0201	6	0-200	28	30	Carton	1	95X44X12	
M0202	12	0-700	44	47	Carton	-40	137X22.5X19	
M0203	20	0-725	84	88	Carton	(1)	1#160X16X12.5	2#68x22x20.5
M0204	30	0-810	130	135	Carton	- 1	1#169X16X14.5	2#98x30x19
M0205	50	0-860	225	229	Carton	- 1	1#173X23X10 3#87X38X22	2#87x34x26 4#21x18x31

## AIR SHOP PRESS TAREN







Model	Copacity (ton)	Working Range (mm)	Width (mm)	Air Pressure (mm)	N.W. (kg)	G W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20'Containe (pcs)
M0301	20	0-1030	530	0.8	85	92	Carton	1	156x23x24	200
M0302	30	0-1070	460	0.8	123	130	Carton	1	163x29x30	120
M0303	40	0-1080	650	- 1	195	220	Carton	- 1	40x93x194	35
M0304	50	0-1030	650	8.0	242	268	Carton	313	40x108x174	35



# HYDRAULIC MOTORCYCLE LIFT TABLE
















1100<sub>LBS</sub>



N0106 1100<sub>LBS</sub>







1000LBS



1000LBS

že	Ramp Size (kg)	N.W. (kg)	G.W. (kg)	Package	Measurement (cm)	20'Container (pcs)
	42x53	104	126	Carton	198x58x26	80
	60x55	120	145	Carton	216x61x28	72
	60x55	130	153	Carton	230x74x28	56
	60x55	120	145	Carton	216x61x28	72
	60x40	125	152	Carton	220x68x28	64

00101,00102,00103 800LBS, 1000LBS, 1000LBS


206x55 220x68 206x55 210x61 210x61 220x68x28 60x40 Carton 175x50 45x50 Carton 152x61x26 206x75x28 200x60 Carton

190x53



#### PIPE BENDER ###





P0102 16TON

## CAR CREEPER # ##



Model	Capacity (inch)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
R0101	38	3.5	4.5	Carton	- 1	93x45x9.5	1560
R0102	40	5	6.4	Carton	- 31	103x50x10	1150
R0103	36	- 5	6	Carton		93x44x13	1288
R0104	40	6.5	7.5	Carton	- 4	103x44x13	1036

#### 



Model	Max Spring Diameter (lbs)	Compressed Spring Diameter (mm)	Compression Length (mm)	N.W. (kg)	G.W. (kg)	Package	Oty/Ctn (pcs)	Measurement (cm)	20 Container (pcs)
Q0101	2200	400	210-570	32	36	Carton	- 1	120x29x22	350
Q0102	2200	400	210-570	35	40	Carton	3	127.5x30x20	300
Q0103	2200	400	210-570	34	34	Carton	11	120x29x22	350
Q0104	2200	400	210-570	34	34	Carton	- 1	120x29x22	350



#### GARAGE EQUIPMENT \* E #

## MATERIAL HANDLING CARTS 物料搬运车

S0101 Capacity(ton) 500 70-80 Dead weight(kg) Ф180x50 The front wheel size(mm) Φ80x70/74x70 The rear wheel size(mm) 200/190 Litting height(mm) 85/75 1534/1604 Overall length(mm) Fork size(mm) 54/100/1150 Fork width(mm 1249/1319 uming radius/mm







S0101


2<sub>TON</sub>

50103 5TON

Model	S0103
Capacity(ton)	5
Load center distance(mm)	500
Dead weight(kg)	90-100
The front wheel size(mm)	Ф180х50
The rear wheel size(mm)	Ф80x70/74x70
Lifting height(mm)	200/190
Reduced height(mm)	85/75
Overall length(mm)	1534/1604
Fork size(mm)	54/160/1150
Fork width(mm)	520/550/685
Turning radius(mm)	1249/1319

50102


3TON




We can produce custom carts designed to meet your exact needs. We have an R & D staff consisting of 158 senior & junior engineers, designers and draftsmen. We also have in-house tool making and prototyping services. We offer all of our products in chrome plate or powder-coat whichever is your preference. Bring us your ideas and let's work together to make them a reality.



Capacity	2500 lb
Length	60
Width	15.5/8
Height	59 7/8
Weight	95 lb















JLSC-05		
Times.	Total payload	8,400 in <sup>3</sup>
	Basket capacity	#,825 in <sup>3</sup>
1	Width	20"
stant.	Weight	43 lbs.
100	Nesting distance	10 5/8"

~	Total psyload	20,800 in <sup>3</sup>
1	Basket capacity	10,400 in <sup>3</sup>
1	Width	24.81*
VEN B	Weight	67 lbs.
3 6	Nesting distance	11.5*

JLSC-07		111
	Total payload	20,820 in <sup>3</sup>
1 1	Basket capacity	12,620 in <sup>3</sup>
WI	Width	24.81*
	Weight	67 lbs.
	Nesting distance	11.5

7LSC-08	-6-11	
NACTACULE!	Length	42.0669"
	Width	24"
W-T-3	Height	71.9803"