

宁波九隆国际有限公司

NINGBO JIULONG INTERNATIONAL CO.LTD

AUTO ACCESSORY 2023



LOAD SAFE

BE WITH US, BE WITH SAFETY!

Office ADD: Room 506-509 No.1357 YINXIAN street, Ningbo, China.

Factory Add: No. B-8 Technology park, Ningbo, China.

TEL: 0086-574-82815295

FAX: 0086-574-82815296

Mobile: 0086-13989392999


P.C: 315100

EMAIL: SALES@JLHARDWARE.COM

Website: WWW.NB-JIULONG.COM

WWW.NB-JIULONG.CN

WWW.JLHARDWARE.COM



20 TON HYDRAULIC JACK

CAUTION: Never exceed the jack's rated load capacity. Base of jack should always rest on a firm, level surface. Never work under the lift load with out additional support devices.

# COMPANY PROFILE

NINGBO JIU LONG HARDWARE CO.,LTD. is a joint venture company which owns two other subsidiaries: ZHE JIANG Jin Long Machinery Rigging CO.,LTD. It locates in Ninghai High-tech Industrial park Ningbo city-well-know as eastern pearl of China with beautiful sight-seeing. As the park is just near to the express way and main road, the transportation here is very convenient with NingBo airport, Beiluo port just nearby.

Our services cover designing, manufacturing and sales of Kitchen utensils, hardware , wire shelf , supermarket shelves, machinery and riggings. There are over 400 products , among them 12 have got national patent. Owing to our refined design, original appearance and excellent workmanship, our products are now popular in over ten countries and areas like the States, Germany, Japan and Taiwan etc.

For years, we have been the Keen manufacturing company in our areas and have won the titles as city is "Contract stressed and credit reliable" company, AAA credit ranking company.

Our fixed asset is over RMB 180million (USD22.5million) and the company covers over 66,000 square meters with buildings of 42000 square meters. Totally we have 1050 employees, 158 of them are junior and senior engineers, 258 are skilled technicians.

Here following are the main equipment we have:

Imported auto chrome-painting line	2	EA
Imported auto powder-painting line	4	EA
Imported auto zinc-painting line	2	EA
Imported threading-drawing machine	4	EA
Imported alignment machine	18	EA
Imported spot-welding machine	40	EA
Imported bending machine	4	EA
Mould finish-machining equipment	30	EA
100T-500T Hydraulic press Machine	10	EA
Large scale Hydraulic plate-cutting machine	2	EA
5T-250T Punch machine	60	EA
160T-1000T friction press	30	EA

We are rapidly growing into a high-tech manufacturing company specialized in the production of kitchen hardware, wire shelf, supermarket shelves, machinery rigging series products with our advanced equipment, high efficiency stuffs, aggressive R & D and strong exploring spirit.

We can not only design and make all kinds of products within our product lines, we have set up an overall quality-control system from the raw material to finished products also. This enables us to pass ISO9001 approval.

We always hold our company idea "result-oriented, innovation, hard-working and surpassing" and this beings our unique company culture as "frank behaving, steady working, aggressive exploring and life-long studying" and our operation principle as "Innovation, sincere service, credit-stressing and supreme-quality".

We'd like to provide our customers with products of big variety, high quality and attractive appearance.



# PRODUCTS

## CONTENT

	卧顶 FLOOR JACK	03-06		吊机 SHOP CRANE	27-28
	立顶 BOTTLE JACK	07-13		运送器 TRANSMISSION JACK	29-30
	双节顶 DOUBLE RAM BOTTLE JACK	14		压机 SHOP PRESS	31
	气动顶 HYDRAULIC AIR BOTTLE JACK	15-16		液压压机 HYDRAULIC SHOP PRESS	32
	气动卧顶 HYDRAULIC AIR FLOOR JACK	17		气动压机 AIR SHOP PRESS	32
	组合套 COMBINATION KIT	18		摩托车修理台 HYDRAULIC MOTORCYCLE LIFT TABLE	33
	螺旋顶 SCREW JACK	19		摩托车提升平台 MOTORCYCLE LIFT	34
	农夫顶 FARM JACK	20		弯管机 PIPE BENDER	35
	分滴顶 PORTA POWER JACK	21		弹簧拆装机 SPRING COMPRESSOR	35
	剪顶 SCISSOR JACK	22		修车板 CAR CREEPER	36
	支架 JACK STAND	23-24		液压车 GARAGE EQUIPMENT	37
	引擎支架 ENGINE STAND	25			
	平衡架 LOAD LEVELER	26			
	发动机支架/托架 ENGINE SUPPORT CROSS BEAM ADAPTOR	26			



# FLOOR JACK 卧顶系列

# FLOOR JACK 卧顶系列



Model	A0101
Capacity(ton)	2
Min.H.(mm)	125
Lifting.H.(mm)	175
Max.H.(mm)	300
N.W.(kg)	6.5
G.W.(kg)	7
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	45X21X14
20'Container(pcs)	2300



Model	A0101B
Capacity(ton)	2
Min.H.(mm)	125
Lifting.H.(mm)	175
Max.H.(mm)	300
N.W.(kg)	6.5
G.W.(kg)	7.5
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	45X21X14
20'Container(pcs)	2300



Model	A0102
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	200
Max.H.(mm)	335
N.W.(kg)	7.5
G.W.(kg)	8
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	45.5X20X14.5
20'Container(pcs)	2100



Model	A0104
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	215
Max.H.(mm)	350
N.W.(kg)	9.5
G.W.(kg)	10
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	50.5X21X15
20'Container(pcs)	1900



Model	A0103B
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	200
Max.H.(mm)	335
N.W.(kg)	8.5
G.W.(kg)	9.5
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	48X23.3X15.5
20'Container(pcs)	1900



Model	A0104B
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	215
Max.H.(mm)	350
N.W.(kg)	9.5
G.W.(kg)	10.5
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	53X23X15
20'Container(pcs)	1500



Model	A0102B
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	200
Max.H.(mm)	335
N.W.(kg)	7.5
G.W.(kg)	8.5
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	48X23.3X15.5
20'Container(pcs)	1900



Model	A0103
Capacity(ton)	2
Min.H.(mm)	135
Lifting.H.(mm)	200
Max.H.(mm)	335
N.W.(kg)	8.5
G.W.(kg)	9
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	45.5X21X14.5
20'Container(pcs)	2100



Model	A0105
Capacity(ton)	2
Min.H.(mm)	140
Lifting.H.(mm)	240
Max.H.(mm)	380
N.W.(kg)	11
G.W.(kg)	11.5
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	55.5X20X16.5
20'Container(pcs)	1600



Model	A0105B
Capacity(ton)	2
Min.H.(mm)	140
Lifting.H.(mm)	240
Max.H.(mm)	380
N.W.(kg)	11
G.W.(kg)	12
Package	Blow Case
Qty/Ctn(pcs)	1
Measurement(cm)	56X21.5X17
20'Container(pcs)	1350



# FLOOR JACK 卧顶系列



A0201  
3TON

Model	A0201
Capacity(ton)	3
Min.H.(mm)	140
Lifting.H.(mm)	320
Max.H.(mm)	460
N.W.(kg)	22
G.W.(kg)	23
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	63X37X19
20'Container(pcs)	630



A0202  
3TON

Model	A0202
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	26
G.W.(kg)	27
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530



A0203  
3TON

Model	A0203
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	28
G.W.(kg)	29
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530



A0204  
3TON

Model	A0204
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	30
G.W.(kg)	31
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530



A0205  
3TON

Model	A0205
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	32
G.W.(kg)	33
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530

# FLOOR JACK 卧顶系列

Model	A0206
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	34
G.W.(kg)	35
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530



A0206  
3TON



A0207  
3TON

Model	A0207
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	385
Max.H.(mm)	520
N.W.(kg)	36
G.W.(kg)	37
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	77X38X21
20'Container(pcs)	450

Model	A0208
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	495
N.W.(kg)	28
G.W.(kg)	30
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530



A0208  
3TON



A0209  
3TON

Model	A0209
Capacity(ton)	3
Min.H.(mm)	135
Lifting.H.(mm)	360
Max.H.(mm)	490
N.W.(kg)	32
G.W.(kg)	34
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	68X38X20
20'Container(pcs)	530



# BOTTLE JACK 01 SERIES 立顶01系列



B0101B-B0106B



B0101/B0101B  
**2TON**



B0110  
**32TON**



B0111  
**32TON**



B0112 High  
**32TON**



B0113 Thick base  
**32TON**



B0102/B0102B  
**4TON**



B0103/B0103B  
**6TON**



B0104/B0104B  
**8TON**



B0105/B0105B  
**10TON**



B0106/B0106B  
**12TON**



B0107  
**16TON**



B0108  
**20TON**



B0109  
**25TON**



B0114  
**32TON**



B0115  
**50TON**



B0116  
**50TON**



B0117  
**100TON**

Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0101	2	158	90	50	298	2.2	23	Color Box	10	52x22.5x17	9560
B0102	3 or 4	195	125	60	380	3.2	17	Color Box	5	56x12.5x20.5	6470
B0103	6	197	125	60	382	4	21	Color Box	5	60x13.5x21	5230
B0104	8	200	125	60	385	5	26	Color Box	5	62x14.5x21	4230
B0105	10	200	125	60	385	5.3	27.5	Color Box	5	65x15x21	4000
B0106	12	210	125	60	395	6.5	27	Color Box	4	56x15x22	3250
B0107	16	220	135	60	415	7.5	31	Color Box	4	60x16x23	2830
B0108	20	235	135	60	430	9.6	20.2	Color Box	2	34x18.5x24.5	2170
B0109	25	255	150	60	465	11.5	24	Color Box	2	34x18.5x26.5	1830

Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0110	32	255	150	/	405	12.5	26	Color Box	2	37x19x26.5	1690
B0111	32	255	150	60	465	13	27	Color Box	2	37x19x26.5	1620
B0112	32 High	285	180	/	465	13.5	14.5	Carton	1	19x19x29.5	1510
B0113	32 Thick base	285	180	/	465	15	16	Carton	1	19x19x29.5	1370
B0114	32	225	120	60	405	13	27	Color Box	2	37x19x23.5	1620
B0115	50	255	150	/	405	19	20	Carton	1	20.5x18x26.5	1100
B0116	50	300	180	/	480	30	31	Carton	1	23.8x21.5x31	700
B0117	100	335	180	/	515	68	70	Wooden Case	1	32.5x26.5x36	310



Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0101B	2	158	90	50	298	2.2	17.2	Blow Case	6	34.5x34.5x25.5	7670
B0102B	3 or 4	195	125	60	380	3.2	23.2	Blow Case	6	38.5x35x29.5	5689
B0103B	6	197	125	60	382	4	19	Blow Case	4	39.5x26.5x32	4630
B0104B	8	200	125	60	385	5	23	Blow Case	4	39.5x26.5x32	3820
B0105B	10	200	125	60	385	5.3	24.2	Blow Case	4	44x31.5x33	3630
B0106B	12	210	125	60	395	6.5	29	Blow Case	4	44x31.5x33	3030



## BOTTLE JACK 02 SERIES 立頂02系列



Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0201	2	181	113	50	344	2.5	26	Color Box	10	52x22x19.1	8460
B0202	4	194	118	60	372	3.2	17	Color Box	5	59.5x12.5x20.5	6470
B0203	6	216	127	70	413	4.2	22	Color Box	5	64.5x13.5x22.6	5000
B0204	8	230	147	80	457	5.5	23	Color Box	4	54x14x24	3820
B0205	10	230	150	80	460	6	25	Color Box	4	56x15x24	3520
B0206	12	238	155	80	473	7.2	15.4	Color Box	2	30x15.5x25	2850
B0207	16	230	150	60	440	8	17	Color Box	2	31x16x24	2580
B0208	20	241	150	60	451	10.3	21.6	Color Box	2	36x17.5x25	2030
B0209	30	240	135	/	375	19	20	Carton	1	20.5x18x25	1100
B0210	50	236	120	/	356	28	29	Carton	1	23.8x21.5x25	750



Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0201B	2	181	113	48	342	2.5	19	Blow Case	6	34.5x34.5x28.5	6940
B0202B	4	194	118	60	372	3.2	23.2	Blow Case	6	38.5x35x29.5	5680
B0203B	6	216	127	70	413	4.2	19.8	Blow Case	4	39.5x26.5x33.5	4440

## BOTTLE JACK 03 SERIES 立頂03系列



Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0301	2	148	80	50	278	2.1	22	Color Box	10	52x22x15.8	10000
B0302	3	158	90	50	298	2.3	24	Color Box	10	52x22.5x17	9160
B0303	5	180	110	60	350	3.3	17.5	Color Box	5	58x13x19	6280
B0304	8	185	110	60	355	3.6	19	Color Box	5	62x14x19.5	5780
B0305	10	195	120	60	380	5	26	Color Box	5	63x14.5x20.5	4230
B0306	12	200	125	60	385	5.5	23	Color Box	4	54x14.5x21	3820
B0307	15 or 16	210	145	60	405	6.5	27	Color Box	4	58x15.5x22	3250
B0308	20	235	135	60	430	8	17	Color Box	2	33x18x24.5	2580
B0309	32	255	150	60	460	11.5	24	Color Box	2	34x18.5x26.5	1830
B0310	32	255	150	/	405	10.8	22.6	Color Box	2	34x18.5x26.5	1940
B0311	50	225	120	60	405	18.5	19.5	Carton	1	20.5x18x23.5	1120
B0312	50	255	150	60	465	19.5	20.5	Carton	1	20.5x18x26.5	1070
B0313	50	255	150	/	405	19	20	Carton	1	20.5x18x26.5	1100



# BOTTLE JACK 04 SERIES 立顶04系列



B0401B-B0406B



B0401/B0401B  
2TON



B0404/B0404B  
8TON



B0405/B0405B  
10TON



B0402/B0402B  
4TON



B0403/B0403B  
6TON



B0406/B0406B  
12TON



B0407  
16TON



B0408  
20TON



B0409  
25TON



B0410  
32TON



B0411  
32TON



B0412  
32TON



B0413  
32TON



B0414  
32TON



B0415  
50TON



B0416  
50TON

Model	Capacity (ton)	Min.H. (mm)	Lifting H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0401	2	158	90	50	298	2.3	24	Color Box	10	52x22.5x17	9160
B0402	3 or 4	195	125	60	380	3.3	17.5	Color Box	5	56x12.5x20.5	6280
B0403	6	197	125	60	382	4.2	22	Color Box	5	60x13.5x21	5000
B0404	8	200	125	60	385	5.2	27	Color Box	5	62x14.5x21	4070
B0405	10	200	125	60	385	5.5	28.5	Color Box	5	65x15x21	3850
B0406	12	210	125	60	395	6.8	28.2	Color Box	4	56x15x22	3120
B0407	16	220	135	60	415	7.8	32.2	Color Box	4	60x16x23	2730
B0408	20	235	135	60	430	10	21	Color Box	2	34x18.5x24.5	2090
B0409	25	255	150	60	465	11.8	24.6	Color Box	2	34x18.5x26.5	1780

Model	Capacity (ton)	Min.H. (mm)	Lifting H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0410	32	255	150	/	405	12.8	26.6	Color Box	2	37x19x26.5	1650
B0411	32	255	150	60	465	13.5	28	Color Box	2	37x19x26.5	1570
B0412	32	285	180	/	465	13.8	14.8	Carton	1	19x19x29.5	1480
B0413	32	225	120	60	405	13.3	27.6	Color Box	2	37x19x23.5	1590
B0414	32	285	180	/	465	15	16	Carton	1	19x19x29.5	1370
B0415	50	255	150	/	405	19	20	Carton	1	20.5x18x26.5	1100
B0416	50	300	180	/	480	30	31	Carton	1	23.8x21.5x31	700



Model	Capacity (ton)	Min.H. (mm)	Lifting H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0401B	2	158	90	50	298	2.3	17.8	Blow Case	6	34.5x34.5x25.5	7410
B0402B	3 or 4	195	125	60	380	3.3	23.8	Blow Case	6	38.5x35x29.5	5540
B0403B	6	197	125	60	382	4.2	19.8	Blow Case	4	39.5x26.5x32	4440
B0404B	8	200	125	60	385	5.2	23.8	Blow Case	4	39.5x26.5x32	3690
B0405B	10	200	125	60	385	5.5	25	Blow Case	4	44x31.5x33	3520
B0406B	12	210	125	60	395	6.8	30.2	Blow Case	4	44x31.5x33	2910



# BOTTLE JACK 05 SERIES 立顶05系列

# DOUBLE RAM BOTTLE JACK 双节顶



Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0501	2	181	113	50	344	2.6	27	Color Box	10	52x22x19.1	8140
B0502	4	194	118	60	372	3.2	17	Color Box	5	59.5x12.5x20.5	6470
B0503	6	216	127	70	413	4.3	22.5	Color Box	5	64.5x13.5x22.6	4880
B0504	8	230	147	80	457	5.8	24.2	Color Box	4	54x14x24	3630
B0505	10	230	150	80	460	6.3	26.2	Color Box	4	56x15x24	3350
B0506	12	238	150	80	468	7.4	15.8	Color Box	2	30x15.5x25	2780
B0507	16	230	150	60	440	8.2	17.4	Color Box	2	31x16x24	2520
B0508	20	241	150	60	451	10.5	22	Color Box	2	36x17.5x25	2000
B0509	30	240	135	/	375	19	20	Carton	1	20.5x18x25	1100
B0510	50	236	120	/	356	28	29	Carton	1	23.8x21.5x25	750

Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0601	2	165	190	55	2.9	16	Color box	5	60x14.5x20	5400
B0602	3 or 4	150	160	35	4.5	18	Color box	5	65.5x14x22	4800
B0603	5 or 6	154	160	40	5.5	23	Color box	4	60x16x20	3000
B0604	8	156	160	40	6	25	Color box	4	60x16x20	2800
B0605	10	225	285	50	8.5	18	Color box	2	32.5x17.5x27	1800
B0606	12	230	285	50	10.5	22	Color box	2	34x19.5x27	1600
B0607	16	232	285	50	12	25	Color box	2	35.5x19.5x27	1400
B0608	20	235	285	50	15.5	16.5	Color box	1	20x19x25	1000
B0609	30 or 32	250	280	/	22	22.5	Color box	1	23x21x26	800

Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0501B	2	181	113	48	342	2.6	19.6	Blow Case	6	34.5x34.5x28.5	6730
B0502B	4	194	118	60	372	3.2	23.2	Blow Case	6	38.5x35x29.5	5680
B0503B	6	216	127	70	413	4.3	20.2	Blow Case	4	39.5x26.5x33.5	4350





HYDRAULIC AIR BOTTLE JACK 气动顶



B0702  
5TON



B0704  
12TON



B0706  
20TON



B0701  
5TON



B0703  
12TON



B0705  
20TON



B0707  
20TON



B0708  
20TON



B0712  
30TON



B0709 B0710 B0711  
30TON



B0713  
50TON

Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Measurement (cm)	20'Container (pcs)
B0701	5	210	140	80	430	6	7	17x20x23	3150
B0702	5	210	140	80	430	6	7	17x20x23	3150
B0703	12	250	165	80	495	12	13	24x18x28	1700
B0704	12	250	165	80	495	12	13	24x18x28	1700
B0705	20	210	100	80	390	15	16	26x21x23	1400
B0706	20	260	170	80	510	16	17	28x20x28	1300
B0707	20	260	170	80	510	16	17	28x20x28	1300
B0708	20	260	170	80	510	16	17	28x20x28	1300
B0709	30	250	150	/	405	21	22	29x22x27	1000
B0710	32	250	150	/	405	21	22	29x22x27	1000
B0711	35	250	150	/	405	21	22	29x22x27	1000
B0712	30	250	150	/	405	21	22	29x22x27	1000
B0713	50	265+25	160	/	425+25	34	36	46x28x31	610



# HYDRAULIC AIR BOTTLE JACK 气动卧顶



**B0805  
50TON**



**B0801  
22TON**



**B0802/B0803  
30/35TON**



**B0804  
35TON**

Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	N.W. (kg)	G.W. (kg)	Max.H. (mm)	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
B0801	22	225+20	130	80	36	38	435+100	1	64x35x30	410
B0802	30	257+20	150	120	42	44	527+100	1	64x35x32	390
B0803	35	257+20	150	120	42	44	527+100	1	64x35x32	390
B0804	35	230+25	135	/	33	34	365+25	1	76x24x25	610
B0805	50	260+20	160	/	44.5	46	420+100	1	64x35x32	390

# COMBINATION KIT 组合套



**B0901  
2TON**

Model	B0901
Capacity(ton)	2
N.W.(kg)	5.5
G.W.(kg)	6.0
Qty/Ctn(pcs)	1 Set
Measurement(cm)	48x29.5x15.5
20'Container(pcs)	3000

Model	B0902
Capacity(ton)	3
N.W.(kg)	41
G.W.(kg)	43
Qty/Ctn(pcs)	1 Set
Measurement(cm)	65x37x20
20'Container(pcs)	380



**B0902  
3TON**



**B0903  
2TON**

Model	B0903
Capacity(ton)	2
N.W.(kg)	12.1
G.W.(kg)	13.5
Qty/Ctn(pcs)	1 Set
Measurement(cm)	47x21.5x29.5
20'Container(pcs)	950

Model	B0904
Capacity(ton)	2
N.W.(kg)	20
G.W.(kg)	21.5
Qty/Ctn(pcs)	1 Set
Measurement(cm)	51x32.5x38.5
20'Container(pcs)	400



**B0904  
2TON**



**B0905  
3TON**

Model	B0905
Capacity(ton)	3
N.W.(kg)	46.5
G.W.(kg)	48.5
Qty/Ctn(pcs)	1 Set
Measurement(cm)	85x38.5x26
20'Container(pcs)	340



# SCREW JACK 螺旋顶



Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	Adjust.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
C0101	3.2	220	110	/	4.9	21.6	Carton	4	53.5x26x16	4400
C0102	5	250	130	/	6.4	27.6	Carton	4	55x28.7x18	3500
C0103	8	260	140	/	6.5	28	Carton	4	55x28.7x18	3500
C0104	10	280	150	/	8.6	27.8	Carton	3	51x31.5x19.5	2550
C0105	10D	200	75	/	5.9	25.6	Carton	4	55x28.7x18	3500
C0106	16	320	180	/	11.9	37.7	Carton	3	56x36.5x22.5	1800
C0107	20	325	180	/	12.5	39.5	Carton	3	56x36.5x22.5	1800
C0108	20D	225	90	/	10.2	32.6	Carton	3	56x36.5x22.6	1800
C0109	25	275	130	/	11.1	24.2	Carton	2	44.5x42x23.5	1900
C0110	32	395	200	/	20.1	42.2	Carton	2	49x32.5x26.5	1100
C0111	32D	320	180	/	17.7	37.4	Carton	2	44.5x37x21.5	1240
C0112	50	452	250	/	36.2	38.2	Carton	1	50x39x31	610
C0113	50D	330	150	/	29.2	30.2	Carton	1	38x36x27	720
C0114	100	452	200	/	71.7	73.7	Carton	1	55x28.7x18	300
C0115	200	472	200	/	130	132	Carton	1	57x49x42	170

# FARM JACK 农夫顶



D0101 20"      D0102 33"      D0103 48"      D0104 60"

Model	Capacity	Min.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
D0101	20"	130	680	11	12	Carton	1	54x24x14	1450
D0102	33"	130	700	12	13	Carton	1	89x24x14	920
D0103	48"	130	1070	13	14	Carton	1	124x24x14	650
D0104	60"	130	1350	14	15	Carton	1	154x24x14	520



# PORTA POWER JACK 分离顶



Model	Capacity (ton)	Min.H. (mm)	Lifting.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
E0101	4	270	125	17	19	PVC CASE	1	58x25x16.5	1000
E0102	4	270	125	17	19	IRON CASE	1	63x36.5x17.5	660
E0103	10	358	135	30	32	PVC CASE	1	74x42x17	600
E0104	10	358	135	30	32	IRON CASE	1	73x33x18.5	470
E0105A	20	358	135	31	33	IRON CASE	1	81x32x18.5	400
E0106B	20	358	135	33	35	IRON CASE	1	82x42x12	400

# SCISSOR JACK 剪顶



## HYDRAULIC SCISSOR JACK

Model	F0108
Capacity(ton)	1.5
Min.H.(mm)	125
Lifting.H.(mm)	255
Max.H.(mm)	380
N.W.(kg)	7.5
G.W.(kg)	8.5
Qty/Ctn(pcs)	1
Measurement(cm)	44.5X19.5X16
20'Container(pcs)	2100

Model	Capacity (ton)	Min.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
F0101	1	90	310	2	22	Color Box	10	51x37x22	13000
F0102	1	90	350	2.4	26	Color Box	10	52x43x22	11800
F0103	1	120	385	2.8	30	Color Box	10	65x44x23.5	9000
F0104	1	90	350	2.6	28	Color Box	10	52x43x22	11800
F0105	1.5	105	380	3.2	34	Color Box	10	65x44x23.5	8560
F0106	2	105	385	3.3	35	Color Box	10	65x44x23.5	8560
F0107	0.6	85	385	2.15	22	Color Box	10	41.5x37x22	13000



# JACK STAND 支架

Model	G0101
Capacity(ton)	2
Min.H.(mm)	280
Lifting.H.(mm)	145
Max.H.(mm)	425
N.W.(kg)	4.7
G.W.(kg)	5
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	19x17x33
20'Container(pcs)	2350



G0101  
2TON

Model	G0102
Capacity(ton)	3
Min.H.(mm)	285
Lifting.H.(mm)	140
Max.H.(mm)	425
N.W.(kg)	5
G.W.(kg)	5.3
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	20.5x18.5x33
20'Container(pcs)	2300



G0102  
3TON



G0103  
6TON

Model	G0103
Capacity(ton)	6
Min.H.(mm)	395
Lifting.H.(mm)	210
Max.H.(mm)	605
N.W.(kg)	9
G.W.(kg)	9.5
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	27.5x24.5x42.5
20'Container(pcs)	980



G0104  
12TON

Model	G0104
Capacity(ton)	12
Min.H.(mm)	487
Lifting.H.(mm)	261
Max.H.(mm)	748
N.W.(kg)	25
G.W.(kg)	26
Package	Color Box
Qty/Ctn(pcs)	1
Measurement(cm)	33x30x58
20'Container(pcs)	500



G0105  
2TON

Model	G0105
Capacity(ton)	2
Min.H.(mm)	280
Lifting.H.(mm)	75
Max.H.(mm)	355
N.W.(kg)	3.2
G.W.(kg)	34
Package	Color Box
Qty/Ctn(pcs)	10
Measurement(cm)	67x27x31
20'Container(pcs)	4500

# JACK STAND 支架

Model	G0106
Capacity(ton)	3
Min.H.(mm)	280
Lifting.H.(mm)	75
Max.H.(mm)	355
N.W.(kg)	3.4
G.W.(kg)	36
Package	Color Box
Qty/Ctn(pcs)	10
Measurement(cm)	67x27x31
20'Container(pcs)	4500



G0106  
3TON

Model	G0107
Capacity(ton)	2
Min.H.(mm)	265
Lifting.H.(mm)	100
Max.H.(mm)	365
N.W.(kg)	3
G.W.(kg)	16
Package	Color Box
Qty/Ctn(pcs)	5
Measurement(cm)	84x24x33
20'Container(pcs)	4000



G0107  
2TON



Model	G0108GS
Capacity(ton)	2
Min.H.(mm)	280
Lifting.H.(mm)	148
Max.H.(mm)	428
N.W.(kg)	5.5
G.W.(kg)	5.8
Package	Color Box
Qty/Ctn(pcs)	5
Measurement(cm)	21x19x34
20'Container(pcs)	2000



G0108GS  
2TON



G0109GS  
3TON



Model	G0109GS
Capacity(ton)	3
Min.H.(mm)	287
Lifting.H.(mm)	141
Max.H.(mm)	428
N.W.(kg)	7
G.W.(kg)	7.5
Package	Color Box
Qty/Ctn(pcs)	5
Measurement(cm)	22x20x34.5
20'Container(pcs)	1850



G0110GS  
6TON



Model	G0110GS
Capacity(ton)	6
Min.H.(mm)	417
Lifting.H.(mm)	195
Max.H.(mm)	612
N.W.(kg)	14
G.W.(kg)	14.5
Package	Color Box
Qty/Ctn(pcs)	5
Measurement(cm)	31x26.5x47.5
20'Container(pcs)	700



## ENGINE STAND 引擎支架



Model	Capacity (lbs)	Operating H (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
H0101	750	740	18	20	Carton	1	85x18.5x19.5	790
H0102	1000	740	20	22	Carton	1	86x18.5x18.5	700
H0103	1250	850	27	28	Carton	1	79x21.5x21	640
H0104	1500	870	34	36	Carton	1	90x25x25	510
H0105	2000	850	38	39	Carton	1	102x33x17	330
H0106	2000	860	38	39	Carton	1	91x41x17	360

## LOAD LEVELER 平衡架



Model	Capacity (lbs)	Working Range (mm)	N.W. (kg)	G.W. (kg)	Package	Measurement (cm)	20'Container (pcs)
I0101	1000	430	5.3	5.8	Carton	73x24x10	1580
I0102	2000	315	5.8	6.5	Carton	49x20x9	2500
I0103	4000	385	6.5	7	Carton	62x25x7	2680

## ENGINE SUPPORT 发动机支架



Model	Capacity (Kg)	N.W. (kg)	G.W. (kg)	Package	Measurement (cm)	20'Container (pcs)
J0101	300	16	18	Carton	105x22x8	970
J0102	500	20.5	22	Carton	155x15x12	800

## CROSS BEAM ADAPTOR 托架



Model	Capacity (ton)	Working Range (mm)	N.W. (kg)	G.W. (kg)	Measurement (cm)	20'Container (pcs)
J0201	2	590-930	11	12	73X13X14	1700



# SHOP CRANE 吊机

# SHOP CRANE 吊机

## PICKUP TRUCK CRANE

Model	K0101
Capacity(lbs)	1000
Working Range of boom(mm)	600-1050
Lifting Range(mm)	0-1800
N.W.(kg)	48
G.W.(kg)	50
Measurement(cm)	29x29x34 110x28x20
20'Container(pcs)	304



K0101  
**1000LBS**

## PICKUP TRUCK CRANE

Model	K0102
Capacity(lbs)	2000
Working Range of boom(mm)	870-1290
Lifting Range(mm)	0-2300
N.W.(kg)	53
G.W.(kg)	57
Measurement(cm)	27.5x27.5x31 126x30x24
20'Container(pcs)	200



K0102  
**2000LBS**



## SHOP CRANE 固定式

Model	K0105	Weight	G.W./N.W.	Packing Size
Capacity(ton)	2	70kg	70kg/68kg	131x84x9cm 132x30x16cm
Lifting.H.(mm)	2380	75kg	75kg/73kg	131x84x9cm 132x30x16cm
Height of crane(mm)	1450	80kg	80kg/78kg	131x84x9cm 132x30x16cm
Length of crane(mm)	1550	85kg	85kg/83kg	131x84x9cm 132x30x16cm
20'Container(pcs)	148	90kg	90kg/88kg	131x84x9cm 132x30x16cm



K0105  
**2TON**

## SHOP CRANE(FOLDABLE 折叠式)

Model	K0103
Capacity(ton)	1
Lifting.H.(mm)	2300
Height of crane(mm)	1450
Length of crane(mm)	1550
N.W.(kg)	65
G.W.(kg)	68
Measurement(cm)	136x31.5x16 73x58.5x9
20'Container(pcs)	250



K0103  
**1TON**



K0106  
**2TON**

## SHOP CRANE(FOLDABLE 折叠式)

Model	K0106	Weight	G.W./N.W.	Packing Size
Capacity(ton)	2	70kg	70kg/68kg	136x31.5x16cm 73x58.5x9cm
Lifting.H.(mm)	2380	75kg	75kg/73kg	139.5x31.5x16cm 83x58.5x9cm
Height of crane(mm)	1450	80kg	80kg/78kg	139.5x31.5x16cm 83x58.5x9cm
Length of crane(mm)	1550	85kg	85kg/83kg	139.5x31.5x16cm 83x58.5x9cm
20'Container(pcs)	148	90kg	90kg/88kg	164x31.5x16cm 83x58.5x9cm

## SHOP CRANE 固定式

Model	K0104
Capacity(ton)	1
Lifting.H.(mm)	2300
Height of crane(mm)	1450
Length of crane(mm)	1550
N.W.(kg)	65
G.W.(kg)	68
Measurement(cm)	131x84x9 132x30x16
20'Container(pcs)	175



K0104  
**1TON**

## SHOP CRANE

Model	K0107
Capacity(ton)	3
Lifting.H.(mm)	2200
N.W.(kg)	115
G.W.(kg)	120
Measurement(cm)	135x83x12 145x33x22
20'Container(pcs)	140



K0107  
**3TON**



# TRANSMISSION JACK 运送器



TRANSMISSION JACK

Model	L0101
Capacity(ton)	0.5
Min.H.(mm)	850
Max.H.(mm)	1790
N.W.(kg)	57
G.W.(kg)	66
Overall Dim(cm)	78X68X96
Measurement(cm)	52x23x80
20'Container(pcs)	230



TRANSMISSION JACK

Model	L0102
Capacity(ton)	0.5
Min.H.(mm)	850
Max.H.(mm)	1790
N.W.(kg)	54
G.W.(kg)	62
Overall Dim(cm)	78X68X96
Measurement(cm)	52x23x80
20'Container(pcs)	230



TRANSMISSION JACK

Model	L0103
Capacity(ton)	0.5
Min.H.(mm)	850
Max.H.(mm)	1770
N.W.(kg)	75
G.W.(kg)	82
Overall Dim(cm)	/
Measurement(cm)	55x37x90
20'Container(pcs)	180



TRANSMISSION JACK

Model	L0104
Capacity(ton)	0.5
Min.H.(mm)	845
Max.H.(mm)	1770
N.W.(kg)	76
G.W.(kg)	84
Overall Dim(cm)	78X68X96
Measurement(cm)	55x37x84
20'Container(pcs)	180



SINGLE TRANSMISSION JACK

Model	L0105
Capacity(ton)	0.5
Min.H.(mm)	1000
Max.H.(mm)	1900
N.W.(kg)	30
G.W.(kg)	34
Overall Dim(cm)	57X57X110
Measurement(cm)	112x22.5x28
20'Container(pcs)	410

SINGLE TRANSMISSION JACK

Model	L0106
Capacity(ton)	0.5
Min.H.(mm)	1300
Max.H.(mm)	1800
N.W.(kg)	28
G.W.(kg)	30
Overall Dim(cm)	87X87X130
Measurement(cm)	85.5x27x28
20'Container(pcs)	430



SINGLE TRANSMISSION JACK

Model	L0107
Capacity(ton)	0.6
Min.H.(mm)	1000
Max.H.(mm)	1900
N.W.(kg)	37
G.W.(kg)	43
Overall Dim(cm)	57X57X110
Measurement(cm)	112x22.5x28
20'Container(pcs)	410



TRANSMISSION JACK

Model	L0108
Capacity(ton)	1
Min.H.(mm)	845
Max.H.(mm)	1770
N.W.(kg)	80
G.W.(kg)	89
Overall Dim(cm)	/
Measurement(cm)	55x37x100
20'Container(pcs)	135



## LOW POSITION TRANSMISSION JACK 低位运送器



Model	Capacity (ton)	Min.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
L0201	0.5	200	670	50	58	Carton	1	86x44x24	320
L0202	1	190	780	59	68	Carton	1	91x52x29	250
L0203	1.5	230	890	75	83	Carton	1	97x55x29	210





SHOP PRESS 压机

HYDRAULIC SHOP PRESS 液压压机



M0102  
6TON



M0103  
10TON



M0101  
4TON



M0104  
12TON



M0105  
20TON



M0106  
20TON



M0107  
30TON



M0108  
40TON



Model	Capacity (ton)	Working Range (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	1# Measurement (cm)	2# Measurement (cm)
M0201	6	0-200	28	30	Carton	1	95X44X12	
M0202	12	0-700	44	47	Carton	1	137X22.5X19	
M0203	20	0-725	84	88	Carton	1	1#160X16X12.5 2#66x22x20.5	
M0204	30	0-810	130	135	Carton	1	1#169X16X14.5 2#98x30x19	
M0205	50	0-860	225	229	Carton	1	1#173X23X10 3#87X38X22 4#21x18x31	

AIR SHOP PRESS 气动压机



M0301  
20TON



M0302  
30TON



M0303  
40TON



M0304  
50TON

Model	Capacity (ton)	Working Range (mm)	Width (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
M0101	4	330	350	32	33	Carton	1	65x28x15	650
M0102	6	0-250	360	30	32	Carton	1	98x15x15	540
M0103	10	0-330	380	48	50	Carton	1	76x53x16	380
M0104	12	0-990	380	58	60	Carton	1	150x24x16	240
M0105	20	0-920	460	80	82	Carton	1	146x28x19	200
M0106	20	0-1030	530	80	82	Carton	1	146x28x19	200
M0107	30	0-1070	460	113	120	Carton	1	163x47x24	135
M0108	40	0-1080	650	192	217	Carton	1	198x54x30	77
M0109	50	0-1035	650	242	268	Carton	1	208x55x30	77

Model	Capacity (ton)	Working Range (mm)	Width (mm)	Air Pressure (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
M0301	20	0-1030	530	0.8	85	92	Carton	1	156x23x24	200
M0302	30	0-1070	460	0.8	123	130	Carton	1	163x29x30	120
M0303	40	0-1080	650	/	195	220	Carton	1	40x93x194	35
M0304	50	0-1030	650	0.8	242	268	Carton	1	40x108x174	35



# HYDRAULIC MOTORCYCLE LIFT TABLE

摩托车修理平台

# MOTORCYCLE LIFT 摩托车提升平台



Model	Capacity (lbs)	Min.H. (mm)	Lifting.H. (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
N0101	300	355	540	895	30	33	CARTON	1	50x44x38	340
N0102	1500	146	274	420	35	37	CARTON	1	89x44x15	480
N0103	1500	146	274	420	34	36	CARTON	1	89x44x15	180
N0104	1100	85	255	340	12.5	13	CARTON	1	44x25x10	2100
N0105	1100	90	315	405	14	15	CARTON	1	53x34x10	1500
N0106	1100	85	255	340	14	15	CARTON	1	63.5x20x10	2100

Model	Capacity (lbs)	Min.H. (mm)	Max.H. (mm)	Platform Size (mm)	Ramp Size (kg)	N.W. (kg)	G.W. (kg)	Package	Measurement (cm)	20'Container (pcs)
O0101	800	180	680	190x53	42x53	104	126	Carton	198x58x26	80
O0102	1000	180	780	206x55	60x55	120	145	Carton	216x61x28	72
O0103	1000	180	780	220x68	60x55	130	153	Carton	230x74x28	56
O0104	1000	180	780	206x55	60x55	120	145	Carton	216x61x28	72
O0105	1000	180	780	210x61	60x40	125	152	Carton	220x68x28	64
O0106	1000	180	780	210x61	60x40	128	155	Carton	220x68x28	64
O0107	800	210	780	175x50	45x50	107	125	Carton	152x61x26	95
O0108	1000	220	760	200x60	60x60	135	160	Carton	206x75x28	64



PIPE BENDER 弯管机



P0101  
12TON



P0102  
16TON

Model	Capacity (ton)	Various Shoe	N.W. (kg)	G.W. (kg)	Measurement (cm)	20'Container (pcs)
P0101	12	1/2", 3/4", 1", 1-1/4", 1-1/2", 2"	35	37	63x54x17	430
P0102	16	1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3"	63	65	68x61x19	300

CAR CREEPER 修车板



R0103  
36"



R0101  
36"



R0104  
40"



R0102  
40"



Model	Capacity (inch)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
R0101	36	3.5	4.5	Carton	1	93x45x9.5	1560
R0102	40	5	6.4	Carton	1	103x50x10	1150
R0103	36	5	6	Carton	1	93x44x13	1288
R0104	40	6.5	7.5	Carton	1	103x44x13	1036

SPRING COMPRESSOR 弹簧拆装机



Q0101  
2200LBS



Q0102  
2200LBS



Q0103  
2200LBS



Q0104  
2200LBS

Model	Max Spring Diameter (lbs)	Compressed Spring Diameter (mm)	Compression Length (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
Q0101	2200	400	210-570	32	36	Carton	1	120x29x22	350
Q0102	2200	400	210-570	35	40	Carton	1	127.5x30x20	300
Q0103	2200	400	210-570	34	34	Carton	1	120x29x22	350
Q0104	2200	400	210-570	34	34	Carton	1	120x29x22	350



# GARAGE EQUIPMENT 液压车

# MATERIAL HANDLING CARTS 物料搬运车

Model	S0101
Capacity(ton)	2
Load center distance(mm)	500
Dead weight(kg)	70-80
The front wheel size(mm)	Φ180x50
The rear wheel size(mm)	Φ80x70/74x70
Lifting height(mm)	200/190
Reduced height(mm)	85/75
Overall length(mm)	1534/1604
Fork size(mm)	54/160/1150
Fork width(mm)	520/550/685
Turning radius(mm)	1249/1319


Model	S0102
Capacity(ton)	3
Load center distance(mm)	500
Dead weight(kg)	70-80
The front wheel size(mm)	Φ180x50
The rear wheel size(mm)	Φ80x70/74x70
Lifting height(mm)	200/190
Reduced height(mm)	85/75
Overall length(mm)	1534/1604
Fork size(mm)	54/160/1150
Fork width(mm)	520/550/685
Turning radius(mm)	1249/1319

Model	S0103
Capacity(ton)	5
Load center distance(mm)	500
Dead weight(kg)	90-100
The front wheel size(mm)	Φ180x50
The rear wheel size(mm)	Φ80x70/74x70
Lifting height(mm)	200/190
Reduced height(mm)	85/75
Overall length(mm)	1534/1604
Fork size(mm)	54/160/1150
Fork width(mm)	520/550/685
Turning radius(mm)	1249/1319



We can produce custom carts designed to meet your exact needs. We have an R & D staff consisting of 158 senior & junior engineers, designers and draftsmen. We also have in-house tool making and prototyping services. We offer all of our products in chrome plate or powder-coat whichever is your preference. Bring us your ideas and let's work together to make them a reality.

U-Boat Cart											
	<table border="1"> <tr><td>Capacity</td><td>2500 lbs.</td></tr> <tr><td>Length</td><td>60"</td></tr> <tr><td>Width</td><td>15 5/8"</td></tr> <tr><td>Height</td><td>59 7/8"</td></tr> <tr><td>Weight</td><td>95 lbs.</td></tr> </table>	Capacity	2500 lbs.	Length	60"	Width	15 5/8"	Height	59 7/8"	Weight	95 lbs.
Capacity	2500 lbs.										
Length	60"										
Width	15 5/8"										
Height	59 7/8"										
Weight	95 lbs.										

Z-Rack											
	<table border="1"> <tr><td>Capacity</td><td>300 lbs.</td></tr> <tr><td>Length</td><td>63"</td></tr> <tr><td>Width</td><td>22"</td></tr> <tr><td>Height</td><td>70"</td></tr> <tr><td>Weight</td><td>34 lbs.</td></tr> </table>	Capacity	300 lbs.	Length	63"	Width	22"	Height	70"	Weight	34 lbs.
Capacity	300 lbs.										
Length	63"										
Width	22"										
Height	70"										
Weight	34 lbs.										

Flat Cart													
	<table border="1"> <tr><td>Capacity</td><td>2000 lbs.</td></tr> <tr><td>Length</td><td>50"</td></tr> <tr><td>Width</td><td>24"</td></tr> <tr><td>Height</td><td>40"</td></tr> <tr><td>Weight</td><td>105 lbs.</td></tr> <tr><td>Caster</td><td>rear (2) 6 x 2 swivel front (2) 6 x 2 rigid</td></tr> </table>	Capacity	2000 lbs.	Length	50"	Width	24"	Height	40"	Weight	105 lbs.	Caster	rear (2) 6 x 2 swivel front (2) 6 x 2 rigid
Capacity	2000 lbs.												
Length	50"												
Width	24"												
Height	40"												
Weight	105 lbs.												
Caster	rear (2) 6 x 2 swivel front (2) 6 x 2 rigid												

Wire Cart							
	<table border="1"> <tr><td>Length</td><td>32"</td></tr> <tr><td>Width</td><td>18"</td></tr> <tr><td>Height</td><td>30"</td></tr> </table>	Length	32"	Width	18"	Height	30"
Length	32"						
Width	18"						
Height	30"						

JLSC-01											
	<table border="1"> <tr><td>Total payload</td><td>11,685 in<sup>3</sup></td></tr> <tr><td>Basket capacity</td><td>6730 in<sup>3</sup></td></tr> <tr><td>Width</td><td>21.75"</td></tr> <tr><td>Weight</td><td>45 lbs.</td></tr> <tr><td>Nesting distance</td><td>8.25"</td></tr> </table>	Total payload	11,685 in <sup>3</sup>	Basket capacity	6730 in <sup>3</sup>	Width	21.75"	Weight	45 lbs.	Nesting distance	8.25"
Total payload	11,685 in <sup>3</sup>										
Basket capacity	6730 in <sup>3</sup>										
Width	21.75"										
Weight	45 lbs.										
Nesting distance	8.25"										

JLSC-02											
	<table border="1"> <tr><td>Total payload</td><td>6,000 in<sup>3</sup></td></tr> <tr><td>Basket capacity</td><td>2,500 in<sup>3</sup> ea.</td></tr> <tr><td>Width</td><td>20.5"</td></tr> <tr><td>Weight</td><td>43 lbs.</td></tr> <tr><td>Nesting distance</td><td>6.7"</td></tr> </table>	Total payload	6,000 in <sup>3</sup>	Basket capacity	2,500 in <sup>3</sup> ea.	Width	20.5"	Weight	43 lbs.	Nesting distance	6.7"
Total payload	6,000 in <sup>3</sup>										
Basket capacity	2,500 in <sup>3</sup> ea.										
Width	20.5"										
Weight	43 lbs.										
Nesting distance	6.7"										

JLSC-03											
	<table border="1"> <tr><td>Total payload</td><td>5,843 in<sup>3</sup></td></tr> <tr><td>Basket capacity</td><td>4,000 in<sup>3</sup></td></tr> <tr><td>Width</td><td>22.5"</td></tr> <tr><td>Weight</td><td>25 lbs.</td></tr> <tr><td>Nesting distance</td><td>6.6"</td></tr> </table>	Total payload	5,843 in <sup>3</sup>	Basket capacity	4,000 in <sup>3</sup>	Width	22.5"	Weight	25 lbs.	Nesting distance	6.6"
Total payload	5,843 in <sup>3</sup>										
Basket capacity	4,000 in <sup>3</sup>										
Width	22.5"										
Weight	25 lbs.										
Nesting distance	6.6"										

JLSC-04											
	<table border="1"> <tr><td>Total payload</td><td>6,000 in<sup>3</sup></td></tr> <tr><td>Basket capacity</td><td>4,742 in<sup>3</sup></td></tr> <tr><td>Width</td><td>16 3/8"</td></tr> <tr><td>Weight</td><td>38 lbs.</td></tr> <tr><td>Nesting distance</td><td>9 3/4"</td></tr> </table>	Total payload	6,000 in <sup>3</sup>	Basket capacity	4,742 in <sup>3</sup>	Width	16 3/8"	Weight	38 lbs.	Nesting distance	9 3/4"
Total payload	6,000 in <sup>3</sup>										
Basket capacity	4,742 in <sup>3</sup>										
Width	16 3/8"										
Weight	38 lbs.										
Nesting distance	9 3/4"										

JLSC-05											
	<table border="1"> <tr><td>Total payload</td><td>8,400 in<sup>3</sup></td></tr> <tr><td>Basket capacity</td><td>6,825 in<sup>3</sup></td></tr> <tr><td>Width</td><td>20"</td></tr> <tr><td>Weight</td><td>43 lbs.</td></tr> <tr><td>Nesting distance</td><td>10 5/8"</td></tr> </table>	Total payload	8,400 in <sup>3</sup>	Basket capacity	6,825 in <sup>3</sup>	Width	20"	Weight	43 lbs.	Nesting distance	10 5/8"
Total payload	8,400 in <sup>3</sup>										
Basket capacity	6,825 in <sup>3</sup>										
Width	20"										
Weight	43 lbs.										
Nesting distance	10 5/8"										

JLSC-06											
	<table border="1"> <tr><td>Total payload</td><td>20,800 in<sup>3</sup></td></tr> <tr><td>Basket capacity</td><td>10,400 in<sup>3</sup></td></tr> <tr><td>Width</td><td>24.81"</td></tr> <tr><td>Weight</td><td>67 lbs.</td></tr> <tr><td>Nesting distance</td><td>11.5"</td></tr> </table>	Total payload	20,800 in <sup>3</sup>	Basket capacity	10,400 in <sup>3</sup>	Width	24.81"	Weight	67 lbs.	Nesting distance	11.5"
Total payload	20,800 in <sup>3</sup>										
Basket capacity	10,400 in <sup>3</sup>										
Width	24.81"										
Weight	67 lbs.										
Nesting distance	11.5"										

JLSC-07											
	<table border="1"> <tr><td>Total payload</td><td>20,820 in<sup>3</sup></td></tr> <tr><td>Basket capacity</td><td>12,620 in<sup>3</sup></td></tr> <tr><td>Width</td><td>24.81"</td></tr> <tr><td>Weight</td><td>67 lbs.</td></tr> <tr><td>Nesting distance</td><td>11.5"</td></tr> </table>	Total payload	20,820 in <sup>3</sup>	Basket capacity	12,620 in <sup>3</sup>	Width	24.81"	Weight	67 lbs.	Nesting distance	11.5"
Total payload	20,820 in <sup>3</sup>										
Basket capacity	12,620 in <sup>3</sup>										
Width	24.81"										
Weight	67 lbs.										
Nesting distance	11.5"										

JLSC-08							
	<table border="1"> <tr><td>Length</td><td>42.0669"</td></tr> <tr><td>Width</td><td>24"</td></tr> <tr><td>Height</td><td>71.9803"</td></tr> </table>	Length	42.0669"	Width	24"	Height	71.9803"
Length	42.0669"						
Width	24"						
Height	71.9803"						